

Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: Substance type:

BRAKES HARD SURFACE DEGREASER SANITISER CLP Mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Use of the Substance/Mixture : CLEANER AND DEGREASER

Recommended restrictions on use : Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet:

COMPANY IDENTIFICATION

Brakes, Enterprise House Eureka Business Park Ashford, Kent, TN25 4AG TEL: 0845 6069090 LOCAL COMPANY IDENTIFICATION

For Product Safety information please contact: msdseame@nalco.com

1.4 Emergency telephone number:

Emergency telephone number	0345 606 9090 (Office hours 7.30hrs to 18.00 hrs Monday to
	Friday) Trans-European

Date of Compilation/Revision:	12.09.2019
Version Number:	0.0

Section: 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Category 1	H314
Serious eye damage, Category 1	H318
Chronic aquatic toxicity, Category 3	H412

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal Word	:	Danger	
Hazard Statements	:	H314 H412	Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects.
Precautionary Statements	:	Prevention: P273 P280	Avoid release to the environment. Wear protective gloves/ eye protection/ face protection.

Response:
P303 + P361 + P353 IF ON SKIN (or hair): Take off
immediately all contaminated clothing.
Rinse skin with water or shower.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with
water for several minutes. Remove contact
lenses, if present and easy to do. Continue
rinsing.
P310 Immediately call a POISON
CENTER/doctor.

Hazardous components which must be listed on the label: Amines, C12-14 alkyldimethyl, N-oxides

2.3 Other hazards

None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No.	Classification	Concentration:
EC-No.			
		(REGULATION (EC) No 1272/2008)	[%]
	REACH No.		
Amines, C12-14 alkyldimethyl,	308062-28-4	Acute toxicity Category 4; H302	1 - < 2.5
N-oxides		Skin irritation Category 2; H315	
	01-2119490061-47-	Serious eye damage Category 1; H318	
	0000	Acute aquatic toxicity Category 1; H400	
		Chronic aquatic toxicity Category 2; H411	
2,2'-(octadec-9-	25307-17-9	Acute toxicity Category 4; H302	1 - < 2.5
enylimino)bisethanol	246-807-3	Skin corrosion Category 1B; H314	
, ,	01-2119510876-35	Serious eye damage Category 1; H318	
		Acute aquatic toxicity Category 1; H400	
		Chronic aquatic toxicity Category 1; H410	
Didecyl-Dimethyl-Ammonium	7173-51-5	Acute toxicity Category 4; H302	0.5 - < 1
chloride	230-525-2	Skin corrosion Category 1B; H314	
	01-2119945987-15	Chronic aquatic toxicity Category 2; H411	
		Acute aquatic toxicity Category 1; H400	
Substances with a workplace	exposure limit :		
Potassium Hydroxide	1310-58-3	Acute toxicity Category 4; H302	0.25 - < 0.5
,	215-181-3	Skin corrosion Category 1A; H314	
	01-2119487136-33	Corrosive to metals Category 1; H290	
Isopropanol	67-63-0	Flammable liquids Category 2; H225	0.1 - < 0.25
	200-661-7	Eye irritation Category 2; H319	
	01-2119457558-25	Specific target organ toxicity - single	
		exposure Category 3; H336	

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section: 4. FIRST AID MEASURES

4.1 Description of first aid measures

If inhaled	: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
In case of skin contact	: Wash off immediately with plenty of water for at least 15 minutes.

	Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
In case of eye contact	 Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
If swallowed	 Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If conscious, give 2 glasses of water. Get medical attention immediately.
Protection of first-aiders	: In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders.Use personal protective equipment as required.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of immediate medical attention and special treatment needed

Treatment	: Treat symptomatically.
-----------	--------------------------

Section: 5. FIREFIGHTING MEASURES	

5.1 Extinguishing media

	Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
	Unsuitable extinguishing media	:	None known.
5.2	Special hazards arising from	the	substance or mixture
	Specific hazards during firefighting	:	Not flammable or combustible.
	Hazardous combustion products	:	Depending on combustion properties, decomposition products may include following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	Use personal protective equipment.
	Further information	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel	 Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Advice for emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.
6.2 Environmental precautions	
Environmental precautions	: Do not allow contact with soil, surface or ground water.
6.3 Methods and materials for co	ntainment and cleaning up

Methods for cleaning up	 Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain
	material to ensure runoff does not reach a waterway.

6.4 Reference to other sections

See Section 1 for emergency contact information. For personal protection see section 8. See Section 13 for additional waste treatment information.

Section: 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	o not ingest. Do not breathe spra yes, on skin, or on clothing. Was andling. Use only with adequate	h hands thoroughly after
Hygiene measures	andle in accordance with good ir ractice. Remove and wash conta se. Wash face, hands and any ex andling. Provide suitable facilities ushing of the eyes and body in ca azard.	minated clothing before re- kposed skin thoroughly after for quick drenching or

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	: Do not store near acids. Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers.
Suitable material	: Keep in properly labelled containers.

:

BRAKES HARD SURFACE DEGREASER SANITISER

Unsuitable material

7.3 Specific end uses

Specific use(s)

: CLEANER AND DEGREASER

not determined

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Potassium Hydroxide	1310-58-3	STEL	2 mg/m3	UKCOSSTD
Isopropanol	67-63-0	TWA	400 ppm 999 mg/m3	UKCOSSTD
		STEL	500 ppm 1,250 mg/m3	UKCOSSTD

DNEL

DNEL	
Potassium Hydroxide	: End Use: Workers Exposure routes: Inhalation Value: 1 mg/m3
	End Use: Consumers Exposure routes: Inhalation Value: 1 mg/m3
Isopropanol	: End Use: Workers Exposure routes: Dermal Potential health effects: Long-term systemic effects Value: 888 mg/cm2
	End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 500 mg/m3
	End Use: Consumers Exposure routes: Dermal Potential health effects: Long-term systemic effects Value: 319 mg/cm2
	End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 89 mg/m3
	End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: 26 ppm

PNEC

Isopropanol	:	Fresh water Value: 140.9 mg/l
		Marine water Value: 140.9 mg/l

Intermittent use/release Value: 140.9 mg/l
Fresh water Value: 552 mg/kg
Marine sediment Value: 552 mg/kg
Soil Value: 28 mg/kg
Sewage treatment plant Value: 2251 mg/l
Oral Value: 160 mg/kg

8.2 Exposure controls

Appropriate engineering controls

Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Individual protection measures

Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice.Remove and wash contaminated clothing before re- use.Wash face, hands and any exposed skin thoroughly after handling.Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.
Eye/face protection (EN 166)	:	Safety goggles Face-shield
Hand protection (EN 374)	:	Recommended preventive skin protection Gloves Nitrile rubber butyl-rubber Breakthrough time: 1 – 4 hours Minimum thickness for butyl-rubber 0.7 mm for nitrile rubber 0.4 mm or equivalent (please refer to the gloves manufacturer/distributor for advise). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin and body protection (EN 14605)	:	Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing including appropriate safety shoes
Respiratory protection (EN 143, 14387)	:	When respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization, consider the use of certified respiratory protection equipment meeting EU requirements (89/656/EEC, (EU) 2016/425), or equivalent, with filter type:

Environmental exposure controls

General advice

: Consider the provision of containment around storage vessels.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

	Appearance	:	liquid
	Colour	:	clear, green
	Odour	:	characteristic
	Flash point	:	> 100 °C
	рН	:	13, 100 % (20 °C)
	Odour Threshold	:	no data available
	Melting point/freezing point	:	no data available
	Initial boiling point and boiling range	:	no data available
	Evaporation rate	:	no data available
	Flammability (solid, gas)	:	no data available
	Upper explosion limit	:	no data available
	Lower explosion limit	:	no data available
	Vapour pressure	:	no data available
	Relative vapour density	:	no data available
	Relative density	:	1.01 - 1.03
	Solubility(ies)		
	Water solubility	:	soluble in cold water, soluble in hot water
	Solubility in other solvents	:	no data available
	Partition coefficient: n- octanol/water	:	no data available
	Auto-ignition temperature	:	no data available
	Thermal decomposition	:	no data available
	Viscosity, dynamic	:	no data available
	Viscosity, kinematic	:	no data available
	Explosive properties	:	no data available
	Oxidizing properties	:	no data available
• • •			

9.2 Other information

no data available

Section: 10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Strong acids

10.6 Hazardous decomposition products

Hazardous decomposition products	: Depending on combustion properties, decomposition products may include following materials:
	Carbon oxides
	nitrogen oxides (NOx)
	Sulphur oxides
	Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Information on likely routes of	: Inhalation, Eye contact, Skin contact
exposure	

Toxicity

Product

Acute oral toxicity	:	Acute toxicity estimate : > 2,000 mg/kg
Acute inhalation toxicity	:	There is no data available for this product.
Acute dermal toxicity	:	There is no data available for this product.
Skin corrosion/irritation	:	There is no data available for this product.
Serious eye damage/eye irritation	:	There is no data available for this product.
Respiratory or skin sensitization	:	There is no data available for this product.
Carcinogenicity	:	There is no data available for this product.
Reproductive effects	:	There is no data available for this product.
Germ cell mutagenicity	:	There is no data available for this product.
Teratogenicity	:	There is no data available for this product.
STOT - single exposure	:	There is no data available for this product.

STOT - repeated exposure	There is no data available for this product.	
Aspiration toxicity	There is no data available for this product.	
Components		
Acute oral toxicity	Amines, C12-14 alkyldimethyl, N-oxides LD50 rat: 1,064 mg/kg	
	2,2'-(octadec-9-enylimino)bisethanol LD50 rat: 1,260 mg/kg	
	Didecyl-Dimethyl-Ammonium chloride LD50 rat: 329 mg/kg	
	Potassium Hydroxide LD50 rat: 333 mg/kg	
	sopropanol LD50 rat: 5,840 mg/kg	
Components		
Acute inhalation toxicity	sopropanol LC50 rat: > 30 mg/l Exposure time: 4 h Test atmosphere: vapour	
Components		
Acute dermal toxicity	Didecyl-Dimethyl-Ammonium chloride LD50 rabbit: 2,930 mg/kg	
	sopropanol LD50 rabbit: 12,870 mg/kg	
Potential Health Effects		
Eyes	Causes serious eye damage.	
Skin	Causes severe skin burns.	
Ingestion	Causes digestive tract burns.	
Inhalation	May cause nose, throat, and lung irritation.	
Chronic Exposure	Health injuries are not known or expected ur use.	nder normal
Experience with human exposure		
Eye contact	Redness, Pain, Corrosion	
Skin contact	Redness, Pain, Corrosion	

Ingestion: Corrosion, Abdominal painInhalation: Respiratory irritation, Cough

Further information

: no data available

Section: 12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Product	
Environmental Effects	: Harmful to aquatic life with long lasting effects.
Toxicity to fish	: no data available
Toxicity to daphnia and other aquatic invertebrates	: no data available
Toxicity to algae	: no data available
Components	
Toxicity to fish	: Amines, C12-14 alkyldimethyl, N-oxides 96 h LC50: 2.67 mg/l
	2,2'-(octadec-9-enylimino)bisethanol 96 h LC50 Danio rerio (zebra fish): 0.1 mg/l
	Didecyl-Dimethyl-Ammonium chloride 96 h LC50 Fish: 1 mg/l
	Isopropanol 96 h LC50 Pimephales promelas (fathead minnow): 9,640 mg/l
Components	
Toxicity to daphnia and other aquatic invertebrates	: Amines, C12-14 alkyldimethyl, N-oxides 48 h EC50 Daphnia magna (Water flea): 3.1 mg/l
	2,2'-(octadec-9-enylimino)bisethanol 48 h EC50 Daphnia magna (Water flea): 0.043 mg/l
	lsopropanol LC50 Daphnia magna (Water flea): > 10,000 mg/l
Components	
Toxicity to algae	 Amines, C12-14 alkyldimethyl, N-oxides 72 h LC50: 0.143 mg/l 72 h NOEC: 0.067 mg/l
	2,2'-(octadec-9-enylimino)bisethanol 72 h EC50 Pseudokirchneriella subcapitata (microalgae): 0.0538 mg/l
Components	
Toxicity to bacteria	: Isopropanol 1,050 mg/l
Components	
Toxicity to daphnia and other	: 2,2'-(octadec-9-enylimino)bisethanol

aquatic invertebrates (Chronic 21 d EC50: 0.0463 mg/l toxicity)

12.2 Persistence and degradability

Product	
no data available	
Components	
Biodegradability :	Amines, C12-14 alkyldimethyl, N-oxides Result: Readily biodegradable.
	2,2'-(octadec-9-enylimino)bisethanol Result: Readily biodegradable.
	Didecyl-Dimethyl-Ammonium chloride Result: Eliminated from aquatic environment
	Potassium Hydroxide Result: Not applicable - inorganic
	Isopropanol Result: Readily biodegradable.

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

Product

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

13.1 Waste treatment methods

Product

 The product should not be allowed to enter drains, water courses or the soil.
 Where possible recycling is preferred to disposal or incineration.

	If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
Contaminated packaging	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.
Guidance for Waste Code selection	Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)	Not applicable.
14.1 UN number:	PRODUCT IS NOT REGULATED DURING
14.2 UN proper shipping name:	TRANSPORTATION
14.3 Transport hazard class(es):	Not applicable.
14.4 Packing group:	Not applicable.
14.5 Environmental hazards:	No
14.6 Special precautions for user:	Not applicable.
Air transport (IATA)	Not applicable.
14.1 UN number:	PRODUCT IS NOT REGULATED DURING
14.2 UN proper shipping name:	TRANSPORTATION
14.3 Transport hazard class(es):	Not applicable.
14.4 Packing group:	Not applicable.
14.5 Environmental hazards:	No
14.6 Special precautions for user:	Not applicable.
Sea transport (IMDG/IMO) 14.1 UN number: 14.2 UN proper shipping name: 14.3 Transport hazard class(es): 14.4 Packing group: 14.5 Environmental hazards: 14.6 Special precautions for user: 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:	Not applicable. PRODUCT IS NOT REGULATED DURING TRANSPORTATION Not applicable. No Not applicable. No Not applicable. Not applicable.

Section: 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

INTERNATIONAL CHEMICAL CONTROL LAWS

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out on the product.

Section: 16. OTHER INFORMATION

Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification
Skin corrosion 1, H314	Based on product data or assessment
Serious eye damage 1, H318	Based on product data or assessment
Chronic aquatic toxicity 3, H412	Calculation method

Full text of H-Statements

H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx -Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS -Globally Harmonized System; GLP – Good Laboratory Practice; IARC – International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS – Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR – (Quantitative) Structure Activity Relationship; REACH – Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of

Dangerous Goods by Rail; SADT – Self-Accelerating Decomposition Temperature; SDS – Safety Data Sheet; TCSI – Taiwan Chemical Substance Inventory; TRGS – Technical Rule for Hazardous Substances; TSCA – Toxic Substances Control Act (United States); UN – United Nations; vPvB – Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet	:	IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.
		The possible key literature references and data sources which may have been used in conjunction with the consideration of expert judgment to compile this Safety Data Sheet: European regulations/directives (including (EC) No. 1907/2006, (EC) No. 1272/2008), supplier data, inter-net, ESIS, IUCLID, ERIcards, Non European official regulatory data and other data sources.
Prepared By	:	Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.