

Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: Substance type:

BRAKES TOILET CLEANER CLP Mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Use of the Substance/Mixture : CLEANER

Recommended restrictions on use : Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet:

COMPANY IDENTIFICATION

Brakes, Enterprise House Eureka Business Park Ashford, Kent, TN25 4AG TEL: 0845 6069090

LOCAL COMPANY IDENTIFICATION

For Product Safety information please contact: msdseame@nalco.com

1.4 Emergency telephone number:

Emergency telephone number	: 0345 606 9090 (Office hours 7.30hrs to 18.00 hrs Monday to
	Friday) Trans-European

Date of Compilation/Revision:	11.09.2019
Version Number:	0.0

Section: 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315
Eye irritation, Category 2	H319
Chronic aquatic toxicity, Category 3	H412

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal Word	:	Warning	
Hazard Statements	:	H315 H319 H412	Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.
Precautionary Statements	:	Prevention: P273 P280	Avoid release to the environment. Wear protective gloves/ eye protection/ face

protection.

2.3 Other hazards

Do not mix with bleach or other chlorinated products - will cause chlorine gas.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. REACH No.	Classification (REGULATION (EC) No 1272/2008)	Concentration: [%]
Phosphoric Acid	7664-38-2 231-633-2 01-2119485924-24	Skin corrosion Category 1B; H314 Corrosive to metals Category 1; H290	2.5 - < 5
2,2'-(octadec-9- enylimino)bisethanol	25307-17-9 246-807-3 01-2119510876-35	Acute toxicity Category 4; H302 Skin corrosion Category 1B; H314 Serious eye damage Category 1; H318 Acute aquatic toxicity Category 1; H400 Chronic aquatic toxicity Category 1; H410	1 - < 2.5

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section: 4. FIRST AID MEASURES

4.1 Description of first aid measures

If inhaled	Get medical attention if symptoms occur.	
In case of skin contact	Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Get medical attention if irritation develops and persists.	
In case of eye contact	Rinse immediately with plenty of water, also under the eye for at least 15 minutes. Remove contact lenses, if present and easy to do. Continu rinsing. Get medical attention.	
If swallowed	Rinse mouth. Get medical attention if symptoms occur.	
Protection of first-aiders	In event of emergency assess the danger before taking ac Do not put yourself at risk of injury. If in doubt, contact emergency responders.Use personal protective equipmen required.	

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of immediate medical attention and special treatment needed

Treatment

: Treat symptomatically.

Section: 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

	Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2	Special hazards arising from	the	e substance or mixture
	Specific hazards during firefighting	:	Not flammable or combustible.
	Hazardous combustion products	:	Depending on combustion properties, decomposition products may include following materials: Carbon oxides nitrogen oxides (NOx)
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	Use personal protective equipment.
	Further information	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel	:	Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Advice for emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

6.2 Environmental precautions

Environmental precautions	: Do not allow contact with soil, surface or ground wate
---------------------------	--

6.3 Methods and materials for containment and cleaning up

	Methods for cleaning up	Flush away traces with water. For large spills, dike spilled material or otherwise contain
--	-------------------------	---

6.4 Reference to other sections

See Section 1 for emergency contact information. For personal protection see section 8. See Section 13 for additional waste treatment information.

Section: 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid contact with skin and eyes. Wash hands thoroughly after handling. Use only with adequate ventilation. Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re- use. Wash face, hands and any exposed skin thoroughly after handling.
7.2 Conditions for safe storage, in	ncl	uding any incompatibilities
Requirements for storage areas and containers	:	Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers.
Suitable material 7.3 Specific end uses	:	Keep in properly labelled containers.
Specific use(s)	:	CLEANER

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Phosphoric Acid	7664-38-2	TWA	1 mg/m3	UKCOSSTD
		STEL	2 mg/m3	UKCOSSTD

DNEL

Phosphoric Acid	End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 1 mg/m3		
	End Use: Workers Exposure routes: Inhalation Potential health effects: Acute local effects Value: 2 mg/m3		
	End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 0.73 mg/m3		

8.2 Exposure controls

Appropriate engineering controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures

: Handle in accordance with good industrial hygiene and safety practice.Remove and wash contaminated clothing before re-

	use.Wash face, hands and any exposed skin thoroughly after handling.			
Eye/face protection (EN 166)	Safety glasses with side-shields			
Hand protection (EN 374)	Recommended preventive skin protection Gloves Nitrile rubber butyl-rubber Breakthrough time: 1 – 4 hours Minimum thickness for butyl-rubber 0.3 mm for nitrile rubber 0.2 mm or equivalent (please refer to the gloves manufacturer/distributor for advise). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.			
Skin and body protection (EN 14605)	Wear suitable protective clothing.			
Respiratory protection (EN 143, 14387)	When respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization, consider the use of certified respiratory protection equipment meeting EU requirements (89/656/EEC, (EU) 2016/425), or equivalent, with filter type:A-P			
Environmental exposure controls				
General advice	Consider the provision of containment around storage vessels.			

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	Clear Green
Odour	:	characteristic
Flash point	:	> 100 °C
рН	:	not determined
Odour Threshold	:	no data available
Melting point/freezing point	:	no data available
Initial boiling point and boiling range	:	no data available
Evaporation rate	:	no data available
Flammability (solid, gas)	:	no data available
Upper explosion limit	:	no data available
Lower explosion limit	:	no data available
Vapour pressure	:	no data available

Relative vapour density	:	no data available
Relative density	:	1.020 - 1.030
Solubility(ies)		
Water solubility	:	soluble in cold water, soluble in hot water
Solubility in other solvents	:	no data available
Partition coefficient: n- octanol/water	:	no data available
Auto-ignition temperature	:	no data available
Thermal decomposition	:	no data available
Viscosity, dynamic	:	no data available
Viscosity, kinematic	:	no data available
Explosive properties	:	no data available
Oxidizing properties	:	no data available

9.2 Other information

no data available

Section: 10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	: Do not mix with bleach or other chlorinated products – will
	cause chlorine gas.

10.4 Conditions to avoid

Conditions to avoid	: None known.

10.5 Incompatible materials

Materials to avoid : None known

10.6 Hazardous decomposition products

Hazardous decomposition	: Depending on combustion properties, decomposition products
products	may include following materials:
	Carbon oxides
	nitrogen oxides (NOx)

Section: 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

Toxicity

Product

- Toulot	
Acute oral toxicity	: Acute toxicity estimate : > 2,000 mg/kg
Acute inhalation toxicity	: There is no data available for this product.
Acute dermal toxicity	: There is no data available for this product.
Skin corrosion/irritation	: There is no data available for this product.
Serious eye damage/eye irritation	: There is no data available for this product.
Respiratory or skin sensitization	: There is no data available for this product.
Carcinogenicity	: There is no data available for this product.
Reproductive effects	: There is no data available for this product.
Germ cell mutagenicity	: There is no data available for this product.
Teratogenicity	: There is no data available for this product.
STOT - single exposure	: There is no data available for this product.
STOT - repeated exposure	: There is no data available for this product.
Aspiration toxicity	: There is no data available for this product.
Components	
Acute oral toxicity	: Phosphoric Acid LD50 rat: > 2,600 mg/kg
	2,2'-(octadec-9-enylimino)bisethanol LD50 rat: 1,260 mg/kg
Components	
Acute dermal toxicity	: Phosphoric Acid LD50 rabbit: > 2,000 mg/kg
Potential Health Effects	
Eyes	: Causes serious eye irritation.
Skin	: Causes skin irritation.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Experience with human exposure

Further information	: no data available
Inhalation	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Skin contact	: Redness, Irritation
Eye contact	: Redness, Pain, Irritation

Section: 12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Product		
Environmental Effects	:	Harmful to aquatic life with long lasting effects.
Toxicity to fish	:	no data available
Toxicity to daphnia and other aquatic invertebrates	:	no data available
Toxicity to algae	:	no data available
Components		
Toxicity to fish	:	2,2'-(octadec-9-enylimino)bisethanol 96 h LC50 Danio rerio (zebra fish): 0.1 mg/l
Components		
Toxicity to daphnia and other aquatic invertebrates	:	Phosphoric Acid 48 h EC50 Daphnia magna (Water flea): > 100 mg/l
		2,2'-(octadec-9-enylimino)bisethanol 48 h EC50 Daphnia magna (Water flea): 0.043 mg/l
Components		
Toxicity to algae	:	Phosphoric Acid 72 h EC50 Desmodesmus subspicatus (green algae): > 100 mg/l
		2,2'-(octadec-9-enylimino)bisethanol 72 h EC50 Pseudokirchneriella subcapitata (microalgae): 0.0538 mg/l
Components		
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	2,2'-(octadec-9-enylimino)bisethanol 21 d EC50: 0.0463 mg/l

12.2 Persistence and degradability

Product

no data available

Components

Biodegradability

: Phosphoric Acid Result: Not applicable - inorganic

> 2,2'-(octadec-9-enylimino)bisethanol Result: Readily biodegradable.

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

Product

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

13.1 Waste treatment methods

Product	cou Whe inci If re loca	product should not be allowed to enter drains, water rses or the soil. ere possible recycling is preferred to disposal or neration. cycling is not practicable, dispose of in compliance with al regulations. pose of wastes in an approved waste disposal facility.
Contaminated packaging	Em han	bose of as unused product. bty containers should be taken to an approved waste dling site for recycling or disposal. not re-use empty containers.
Guidance for Waste Code selection	proo rede Cat to d mat ider	ganic wastes containing dangerous substances. If this duct is used in any further processes, the final user must efine and assign the most appropriate European Waste alogue Code. It is the responsibility of the waste generator etermine the toxicity and physical properties of the erial generated to determine the proper waste ntification and disposal methods in compliance with licable European (EU Directive 2008/98/EC) and local

regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID) 14.1 UN number: 14.2 UN proper shipping name: 14.3 Transport hazard class(es): 14.4 Packing group: 14.5 Environmental hazards: 14.6 Special precautions for user:	Not applicable. PRODUCT IS NOT REGULATED DURING TRANSPORTATION Not applicable. Not applicable. No Not applicable.
Air transport (IATA)	
14.1 UN number:	Not applicable.
14.2 UN proper shipping name:	PRODUCT IS NOT REGULATED DURING TRANSPORTATION
14.3 Transport hazard class(es):	Not applicable.
14.4 Packing group:	Not applicable.
14.5 Environmental hazards:	No
14.6 Special precautions for user:	Not applicable.
Sea transport (IMDG/IMO)	
14.1 UN number:	Not applicable.
14.2 UN proper shipping name:	PRODUCT IS NOT REGULATED DURING TRANSPORTATION
14.3 Transport hazard class(es):	Not applicable.
14.4 Packing group:	Not applicable.
14.5 Environmental hazards:	No
14.6 Special precautions for user:	Not applicable.
14.7 Transport in bulk according to	Not applicable.
Annex II of MARPOL 73/78 and the IBC Code:	

Section: 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

INTERNATIONAL CHEMICAL CONTROL LAWS

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out on the product.

Section: 16. OTHER INFORMATION

Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification
Skin irritation 2, H315	Calculation method
Eye irritation 2, H319	Calculation method

Chroni	c aquatic toxicity 3, H412	Calculation method	
Full text of H-Statements			
H290	May be corrosive to metal	S.	
H302	Harmful if swallowed.		
H314	Causes severe skin burns	and eye damage.	
H318	Causes serious eye dama	ge.	
H400	Very toxic to aquatic life.	-	
H410	Very toxic to aquatic life w	ith long lasting effects.	

Full text of other abbreviations

ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number – European Community number; ECx – Concentration associated with x% response; ELx – Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS -Globally Harmonized System; GLP – Good Laboratory Practice; IARC – International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 – Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL – International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR – (Quantitative) Structure Activity Relationship; REACH – Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI – Taiwan Chemical Substance Inventory; TRGS – Technical Rule for Hazardous Substances; TSCA – Toxic Substances Control Act (United States); UN – United Nations; vPvB – Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet	IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.
	The possible key literature references and data sources which may have been used in conjunction with the consideration of expert judgment to compile this Safety Data Sheet: European regulations/directives (including (EC) No. 1907/2006, (EC) No. 1272/2008), supplier data, inter-net, ESIS, IUCLID, ERIcards, Non European official regulatory data and other data sources.
Prepared By	Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.