

## Good Sense Breakdown

Revision: 2024-08-08

Version: 07.2

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name:** Good Sense Breakdown

UFI: RNF6-M0MS-D00F-K69J

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product use:** Hard surface cleaner.  
Carpet / Upholstery cleaner.  
Prespotter / Stain remover.  
For professional use only.

**Uses advised against:** Uses other than those identified are not recommended.

#### SWED - Sector-specific worker exposure description :

AISE\_SWED\_PW\_4\_1  
AISE\_SWED\_PW\_11\_1  
AISE\_SWED\_PW\_13\_2  
AISE\_SWED\_PW\_19\_1

#### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssebroeksedijk 2, 3542DN Utrecht], The Netherlands

#### Contact details

Diversey Ltd  
Weston Favell Centre, Northampton NN3 8PD, United Kingdom  
Tel: 01604 405311, Fax: 01604 406809  
Regulatory Email: customerservice.uk@solenis.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)  
For medical or environmental emergency only:  
call 0800 052 0185

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Eye irritation, Category 2 (H319)

#### 2.2 Label elements



**Signal word:** Warning.

Contains 1,2-benzisothiazol-3(2H)-one (Benzisothiazolinone), 2-phenoxyethanol (Phenoxyethanol), d-limonene (Limonene)

#### Hazard statements:

H319 - Causes serious eye irritation.  
EUH208 - May produce an allergic reaction.

#### Further indications on the label:

Contains: preservative.

#### 2.3 Other hazards

No other hazards known.

### SECTION 3: Composition/information on ingredients

## Good Sense Breakdown

## 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
alkyl alcohol ethoxylate	[4]	68439-46-3	[4]	Acute toxicity - Oral, Category 4 (H302) Serious eye damage, Category 1 (H318) Chronic aquatic toxicity, Category 3 (H412)		1-3
2-phenoxyethanol	204-589-7	122-99-6	01-211948894 3-21	Acute toxicity - Oral, Category 4 (H302) Specific target organ toxicity - Single exposure, Category 3 (H335) Serious eye damage, Category 1 (H318)		0.1-1
d-limonene	227-813-5	5989-27-5	01-211952922 3-47	Flammable liquids, Category 3 (H226) Aspiration toxicity, Category 1 (H304) Skin irritation, Category 2 (H315) Skin sensitisation, Sub-category 1B (H317) Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 1 M=1 (H410)		0.1-1
1,2-benzisothiazol-3(2H)-one	220-120-9	2634-33-5	[6]	Acute toxicity - Inhalation, Category 2 (H330) Acute toxicity - Oral, Category 4 (H302) Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318) Skin sensitisation, Sub-category 1A (H317) Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 1 M=1 (H410)		0.01-0.1

**Specific concentration limits**

1,2-benzisothiazol-3(2H)-one:

- Skin sensitisation, Category 1 (H317) >= 0.05%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

**SECTION 4: First aid measures****4.1 Description of first aid measures****Inhalation:**

Get medical attention or advice if you feel unwell.

**Skin contact:**

Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.

**Eye contact:**

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention.

**Ingestion:**

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.

**Self-protection of first aider:**

Consider personal protective equipment as indicated in subsection 8.2.

**4.2 Most important symptoms and effects, both acute and delayed****Inhalation:**

No known effects or symptoms in normal use.

**Skin contact:**

No known effects or symptoms in normal use.

**Eye contact:**

Causes severe irritation.

**Ingestion:**

No known effects or symptoms in normal use.

**4.3 Indication of any immediate medical attention and special treatment needed**

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

**5.2 Special hazards arising from the substance or mixture**

No special hazards known.

**5.3 Advice for firefighters**

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Wear eye/face protection.

## Good Sense Breakdown

**6.2 Environmental precautions**

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

**6.3 Methods and material for containment and cleaning up**

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

**6.4 Reference to other sections**

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

**Recommended monitoring procedures, if available:**

Additional exposure limits under the conditions of use, if available:

**DNEL/DMEL and PNEC values****Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	-	-	-	-
2-phenoxyethanol	-	9.23	-	9.23
d-limonene	-	-	-	4.76
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl alcohol ethoxylate	-	-	-	-
2-phenoxyethanol	No data available	-	No data available	20.83
d-limonene	0.222 mg/cm <sup>2</sup> skin	-	No data available	-
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl alcohol ethoxylate	-	-	-	-
2-phenoxyethanol	No data available	-	No data available	10.42
d-limonene	0.111 mg/cm <sup>2</sup> skin	-	No data available	-
1,2-benzisothiazol-3(2H)-one	-	-	-	-

## Good Sense Breakdown

DNEL/DMEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	-	-	-	-
2-phenoxyethanol	-	-	8.07	8.07
d-limonene	-	-	-	33.3
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	-	-	-	-
2-phenoxyethanol	-	-	2.41	2.41
d-limonene	-	-	-	8.33
1,2-benzisothiazol-3(2H)-one	-	-	-	-

## Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
alkyl alcohol ethoxylate	-	-	-	-
2-phenoxyethanol	0.943	0.0943	3.44	24.8
d-limonene	0.014	0.0014	-	1.8
1,2-benzisothiazol-3(2H)-one	0.0026	0.00026	-	0.055

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m <sup>3</sup> )
alkyl alcohol ethoxylate	-	-	-	-
2-phenoxyethanol	7.2366	0.7237	1.26	-
d-limonene	3.85	0.385	0.763	-
1,2-benzisothiazol-3(2H)-one	0.0132	-	0.33	-

## 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

**Appropriate engineering controls:** Provide a good standard of general ventilation. Ensure that foam equipment does not generate respirable particles.

**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

## REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Foam spraying	AISE_SWED_PW_11_1	PW	PROC 11	60	ERC8a
Manual application by dipping, soaking, pouring	AISE_SWED_PW_13_2	PW	PROC 13	60	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

## Personal protective equipment

**Eye / face protection:** Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 16321 / EN 166).

**Hand protection:** No special requirements under normal use conditions.

**Body protection:** No special requirements under normal use conditions.

**Respiratory protection:** Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided. Trigger spray bottle application: No special requirements under normal use conditions. Apply technical measures to comply with the occupational exposure limits, if available.

**Environmental exposure controls:** No special requirements under normal use conditions.

## SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

## Good Sense Breakdown

**Physical state:** Liquid  
**Colour:** Hazy , Red  
**Odour:** Product specific  
**Odour threshold:** Not applicable  
**Melting point/freezing point (°C):** Not determined  
**Initial boiling point and boiling range (°C):** Not determined

## Method / remark

Not relevant to classification of this product  
 See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
alkyl alcohol ethoxylate	> 232		
2-phenoxyethanol	244.3	OECD 103 (EU A.2)	
d-limonene	175-178	Weight of evidence	1013
1,2-benzisothiazol-3(2H)-one	No data available		

## Method / remark

**Flammability (solid, gas):** Not applicable to liquids  
**Flammability (liquid):** Not flammable.  
**Flash point (°C):** > 60 °C  
**Sustained combustion:** Not applicable.  
*( UN Manual of Tests and Criteria, section 32, L.2 )*  
**Lower and upper explosion limit/flammability limit (%):** Not determined

closed cup

See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
2-phenoxyethanol	1.4	9
d-limonene	0.7	6.1

## Method / remark

**Autoignition temperature:** Not determined  
**Decomposition temperature:** Not applicable.  
**pH:** ≈ 10 (neat)  
**Kinematic viscosity:** Not determined  
**Solubility in / Miscibility with water:** Fully miscible

ISO 4316

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
alkyl alcohol ethoxylate	Soluble	Method not given	
2-phenoxyethanol	24	Method not given	20
d-limonene	Insoluble	Method not given	20
1,2-benzisothiazol-3(2H)-one	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

## Method / remark

**Vapour pressure:** Not determined

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
alkyl alcohol ethoxylate	10		37
2-phenoxyethanol	10	Method not given	20
d-limonene	190-230	Method not given	20
1,2-benzisothiazol-3(2H)-one	No data available		

## Method / remark

**Relative density:** ≈ 1.00 (20 °C)  
**Relative vapour density:** -  
**Particle characteristics:** No data available.

OECD 109 (EU A.3)  
 Not relevant to classification of this product  
 Not applicable to liquids.

## 9.2 Other information

## 9.2.1 Information with regard to physical hazard classes

**Explosive properties:** Not explosive.  
**Oxidising properties:** Not oxidising.  
**Corrosion to metals:** Not corrosive

## 9.2.2 Other safety characteristics

No other relevant information available.

## Good Sense Breakdown

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

**10.2 Chemical stability**

Stable under normal storage and use conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known under normal storage and use conditions.

**10.4 Conditions to avoid**

None known under normal storage and use conditions.

**10.5 Incompatible materials**

None known under normal use conditions.

**10.6 Hazardous decomposition products**

None known under normal storage and use conditions.

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Mixture data:

**Relevant calculated ATE(s):**

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:

**Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
alkyl alcohol ethoxylate	LD <sub>50</sub>	> 300-2000	Rat	Method not given		1400
2-phenoxyethanol	LD <sub>50</sub>	1840	Rat	OECD 401 (EU B.1)		1840
d-limonene	LD <sub>50</sub>	4400 - 5100	Rat	Method not given		4400
1,2-benzisothiazol-3(2H)-one	LD <sub>50</sub>	> 2000	Rat			450

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
alkyl alcohol ethoxylate	LD <sub>50</sub>	> 2000	Rabbit	Method not given		Not established
2-phenoxyethanol	LD <sub>50</sub>	> 2214	Rabbit	Method not given		Not established
d-limonene	LD <sub>50</sub>	> 5000	Rabbit	Method not given		Not established
1,2-benzisothiazol-3(2H)-one	LD <sub>50</sub>	> 2000	Rat	OECD 402 (EU B.3)		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate		No data available			
2-phenoxyethanol	LC <sub>0</sub>	> 1 (mist)	Rat	Method not given	6
d-limonene		No data available			
1,2-benzisothiazol-3(2H)-one		No data available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
alkyl alcohol ethoxylate	Not established	Not established	Not established	Not established
2-phenoxyethanol	Not established	Not established	Not established	Not established
d-limonene	Not established	Not established	Not established	Not established
1,2-benzisothiazol-3(2H)-one	Not established	0.21	Not established	Not established

## Good Sense Breakdown

## Irritation and corrosivity

## Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Not irritant	Rabbit	Method not given	
2-phenoxyethanol	Not irritant	Rabbit	OECD 404 (EU B.4)	
d-limonene	Irritant	Rabbit	Method not given	
1,2-benzisothiazol-3(2H)-one	Corrosive		Method not given	

## Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Severe damage	Rabbit	Method not given	
2-phenoxyethanol	Irritant	Rabbit	OECD 405 (EU B.5)	
d-limonene	No data available			
1,2-benzisothiazol-3(2H)-one	Severe damage		Method not given	

## Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Not irritating to respiratory tract			
2-phenoxyethanol	No data available			
d-limonene	No data available			
1,2-benzisothiazol-3(2H)-one	No data available			

## Sensitisation

## Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	Not sensitising	Guinea pig	Method not given	
2-phenoxyethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
d-limonene	Sensitising	Guinea pig	Method not given	
1,2-benzisothiazol-3(2H)-one	Sensitising	Guinea pig		

## Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			
2-phenoxyethanol	No data available			
d-limonene	No data available			
1,2-benzisothiazol-3(2H)-one	No data available			

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

## Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
alkyl alcohol ethoxylate	No evidence for mutagenicity, negative test results	Method not given	No data available	
2-phenoxyethanol	No evidence for mutagenicity, negative test results	Method not given	No data available	
d-limonene	No data available		No data available	
1,2-benzisothiazol-3(2H)-one	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	

## Carcinogenicity

Ingredient(s)	Effect
alkyl alcohol ethoxylate	No evidence for carcinogenicity, negative test results
2-phenoxyethanol	No evidence for carcinogenicity, weight-of-evidence
d-limonene	No data available
1,2-benzisothiazol-3(2H)-one	No data available

## Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alkyl alcohol ethoxylate	NOAEL		> 250	Rat			No known significant effects or critical hazards
2-phenoxyethanol			No data available				No evidence for reproductive toxicity No known significant effects or critical hazards
d-limonene			No data available				

## Good Sense Breakdown

1,2-benzisothiazol-3(2H)-one			No data available				
------------------------------	--	--	-------------------	--	--	--	--

**Repeated dose toxicity**

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
2-phenoxyethanol		No data available				
d-limonene		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate	NOAEL	80		OECD 411 (EU B.28)		
2-phenoxyethanol		No data available				
d-limonene		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
2-phenoxyethanol		No data available				
d-limonene		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alkyl alcohol ethoxylate		NOAEL	80		Method not given			
2-phenoxyethanol			No data available					
d-limonene			No data available					
1,2-benzisothiazol-3(2H)-one			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol ethoxylate	Not applicable
2-phenoxyethanol	No data available
d-limonene	No data available
1,2-benzisothiazol-3(2H)-one	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol ethoxylate	Not applicable
2-phenoxyethanol	No data available
d-limonene	No data available
1,2-benzisothiazol-3(2H)-one	No data available

**Aspiration hazard**

Substances with an aspiration hazard (H304), if any, are listed in section 3.

**Potential adverse health effects and symptoms**

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

**11.2 Information on other hazards****11.2.1 Endocrine disrupting properties**



## Good Sense Breakdown

Endocrine disrupting properties - Human data, if available:

### 11.2.2 Other information

No other relevant information available.

## SECTION 12: Ecological information

### 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

#### Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LC <sub>50</sub>	5 - 7	Fish	OECD 203 (EU C.1)	96
2-phenoxyethanol	LC <sub>50</sub>	344	<i>Pimephales promelas</i>	Method not given	96
d-limonene	LC <sub>50</sub>	0.72	<i>Pimephales promelas</i>	OECD 203 (EU C.1)	96
1,2-benzisothiazol-3(2H)-one	LC <sub>50</sub>	2.18	<i>Oncorhynchus mykiss</i>	OECD 203 (EU C.1)	

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	EC <sub>50</sub>	5.3	<i>Daphnia magna Straus</i>	92/69/EEC	48
2-phenoxyethanol	EC <sub>50</sub>	> 500	<i>Daphnia magna Straus</i>	Method not given	48
d-limonene	EC <sub>50</sub>	0.36	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48
1,2-benzisothiazol-3(2H)-one	EC <sub>50</sub>	2.94	<i>Daphnia</i>	OECD 202 (EU C.2)	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	EC <sub>50</sub>	1.4 - 47	Not specified	92/69/EEC	72
2-phenoxyethanol	EC <sub>50</sub>	> 500	<i>Desmodesmus subspicatus</i>	DIN 38412, Part 9	72
d-limonene	E <sub>r</sub> C <sub>50</sub>	150	<i>Desmodesmus subspicatus</i>	OECD 201 (EU C.3)	72
1,2-benzisothiazol-3(2H)-one	E <sub>r</sub> C <sub>50</sub>	0.11		OECD 201 (EU C.3)	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alkyl alcohol ethoxylate		No data available			
2-phenoxyethanol		No data available			
d-limonene		No data available			
1,2-benzisothiazol-3(2H)-one		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alkyl alcohol ethoxylate	EC <sub>50</sub>	> 140	Bacteria	Method not given	
2-phenoxyethanol	EC <sub>20</sub>	620	Activated sludge	ISO 8192	0.5 hour(s)
d-limonene		No data available			
1,2-benzisothiazol-3(2H)-one	EC <sub>20</sub>	3.3	Activated sludge	OECD 209	3 hour(s)

#### Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
---------------	----------	--------------	---------	--------	---------------	------------------

## Good Sense Breakdown

alkyl alcohol ethoxylate	EC <sub>10</sub>	8983	Not specified	Method not given	21 day(s)	
2-phenoxyethanol	NOEC	23	<i>Pimephales promelas</i>	Method not given	34 day(s)	
d-limonene		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

## Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate		2579	<i>Daphnia magna</i>	Method not given	21 day(s)	
2-phenoxyethanol	NOEC	9.43	<i>Daphnia magna</i>	OECD 211	21 day(s)	
d-limonene		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

## Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate		No data available				
2-phenoxyethanol		No data available				
d-limonene		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

## Terrestrial toxicity

## Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-phenoxyethanol	LD <sub>50</sub>	1000	<i>Eisenia fetida</i>	OECD 207	14	

## Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-phenoxyethanol	EC <sub>50</sub>	34	<i>Brassica napus</i>	OECD 208	19	

## Terrestrial toxicity - birds, if available:

## Terrestrial toxicity - beneficial insects, if available:

## Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-phenoxyethanol		147	Not specified	OECD 217	7	

## 12.2 Persistence and degradability

## Abiotic degradation

## Abiotic degradation - photodegradation in air, if available:

## Abiotic degradation - hydrolysis, if available:

## Abiotic degradation - other processes, if available:

## Biodegradation

## Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
alkyl alcohol ethoxylate			80%	Method not given	Readily biodegradable
2-phenoxyethanol		COD removal	90 % in 28 day(s)	OECD 301F	Readily biodegradable
d-limonene			80 % in 28 day(s)	OECD 301D	Readily biodegradable

## Good Sense Breakdown

1,2-benzisothiazol-3(2H)-one	Adapted activated sludge	CO <sub>2</sub> production	62% in 4 day(s)	OECD 301C	Not readily biodegradable.
------------------------------	--------------------------	----------------------------	-----------------	-----------	----------------------------

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
1,2-benzisothiazol-3(2H)-one	Sewage treatment plant simulation	Primary degradation	> 90%	OECD 303A	Biodegradable

### 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
alkyl alcohol ethoxylate	3.11 - 4.19			
2-phenoxyethanol	1.2	OECD 107	No bioaccumulation expected	
d-limonene	No data available		High potential for bioaccumulation	
1,2-benzisothiazol-3(2H)-one	0.7	OECD 107	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alkyl alcohol ethoxylate	< 500				
2-phenoxyethanol	0.35		Method not given	No bioaccumulation expected	
d-limonene	683.1		Method not given	High potential for bioaccumulation	
1,2-benzisothiazol-3(2H)-one	6.95		OECD 305		

### 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K <sub>oc</sub>	Desorption coefficient Log K <sub>oc</sub> (des)	Method	Soil/sediment type	Evaluation
alkyl alcohol ethoxylate	No data available				High potential for mobility in soil
2-phenoxyethanol	40.74	No data available	Method not given		High potential for mobility in soil
d-limonene	No data available				High potential for mobility in soil
1,2-benzisothiazol-3(2H)-one	No data available				

### 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

### 12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

### 12.7 Other adverse effects

No other adverse effects known.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

**Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

**European Waste Catalogue:**

20 01 29\* - detergents containing dangerous substances.

**Empty packaging**

**Recommendation:**

Dispose of observing national or local regulations.

**Suitable cleaning agents:**

Water, if necessary with cleaning agent.

## SECTION 14: Transport information

**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

**14.1 UN number or ID number:** Non-dangerous goods

**14.2 UN proper shipping name:** Non-dangerous goods

**14.3 Transport hazard class(es):** Non-dangerous goods

**14.4 Packing group:** Non-dangerous goods

**14.5 Environmental hazards:** Non-dangerous goods

## Good Sense Breakdown

**14.6 Special precautions for user:** Non-dangerous goods

**14.7 Maritime transport in bulk according to IMO instruments:** Non-dangerous goods

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations :

- Regulation (EC) 1907/2006 - REACH (UK amended)
- Regulation (EC) 1272/2008 - CLP (UK amended)
- Regulation (EC) 648/2004 - Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

**Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII):** Not applicable.

#### Ingredients according to Detergents Regulation

non-ionic surfactants

< 5 %

perfumes , Phenoxyethanol, Limonene, Benzyl Salicylate, Hexyl Cinnamal, Benzisothiazolinone, Linalool, Citronellol, Geraniol, Benzyl Alcohol

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

**Comah - classification:** Not classified

### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

## SECTION 16: Other information

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

**SDS code:** MSDS7187

**Version:** 07.2

**Revision:** 2024-08-08

#### Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 1, 3, 4, 6, 7, 8, 9, 10, 16

#### Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

#### Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H226 - Flammable liquid and vapour.
- H302 - Harmful if swallowed.
- H304 - May be fatal if swallowed and enters airways.

**Good Sense Breakdown**

- H315 - Causes skin irritation.
- H317 - May cause an allergic skin reaction.
- H318 - Causes serious eye damage.
- H330 - Fatal if inhaled.
- H335 - May cause respiratory irritation.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.
- H412 - Harmful to aquatic life with long lasting effects.

**End of Safety Data Sheet**