

Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

MAGIC DISPEL 1.1 Product identifier: **CLP Mixture** Substance type:

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Use of the Substance/Mixture : CLEANER

Recommended restrictions on use : Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet:

COMPANY IDENTIFICATION

LOCAL COMPANY IDENTIFICATION

Ecolab Ltd.

Ecolab Ltd.

PO Box 11; Winnington Avenue

PO Box 11; Winnington Avenue

Northwich, Cheshire,, CW8 4DX, United Kingdom

Northwich, Cheshire,, CW8 4DX, United Kingdom

TEL: + 44 (0)1606 74488

TEL: + 44 (0)1606 74488

For Product Safety information please contact: msdseame@nalco.com

1.4 Emergency telephone number:

Emergency telephone number Trans-European

+441618841235

+32-(0)3-575-5555 Trans-European Address European

Economic Area HQ

27.06.2019 Date of Compilation/Revision:

Version Number: 1.0

Section: 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1	H290
Skin corrosion, Category 1	H314
Serious eye damage, Category 1	H318
Acute aquatic toxicity, Category 1	H400
Chronic aquatic toxicity, Category 2	H411

The classification of this product is based only on its extreme pH value (in accordance with current European legislation).

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal Word Danger

Hazard Statements H290 May be corrosive to metals.

> H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face

protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off

immediately all contaminated clothing.

Rinse skin with water or shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with

water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P310 Immediately call a POISON

CENTER/doctor.

Hazardous components which must be listed on the label: Sodium Hypochlorite

2.3 Other hazards

Mixing this product with acid or ammonia releases chlorine gas.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. REACH No.	Classification (REGULATION (EC) No 1272/2008)	Concentration: [%]
Sodium Hypochlorite	7681-52-9 231-668-3 01-2119488154-34	Nota B Skin corrosion Sub-category 1B; H314 Serious eye damage Category 1; H318 Acute aquatic toxicity Category 1; H400 Chronic aquatic toxicity Category 1; H410 Corrosive to metals Category 1; H290	2.5 - < 3
Amines, C12-14 alkyldimethyl, N-oxides	308062-28-4 01-2119490061-47- 0000	Acute toxicity Category 4; H302 Skin irritation Category 2; H315 Serious eye damage Category 1; H318 Acute aquatic toxicity Category 1; H400 Chronic aquatic toxicity Category 2; H411	0.5 - < 1
Sodium Hydroxide	1310-73-2 215-185-5 01-2119457892-27	Skin corrosion Category 1A; H314 Corrosive to metals Category 1; H290	0.5 - < 1

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section: 4. FIRST AID MEASURES

4.1 Description of first aid measures

If inhaled : Remove to fresh air.

Treat symptomatically.

Get medical attention if symptoms occur.

In case of skin contact : Wash off immediately with plenty of water for at least 15

minutes.

Use a mild soap if available. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Get medical attention immediately.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue

Get medical attention immediately.

If swallowed : Rinse mouth with water.

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

If conscious, give 2 glasses of water. Get medical attention immediately.

Protection of first-aiders : In event of emergency assess the danger before taking action.

Do not put yourself at risk of injury. If in doubt, contact

emergency responders. Use personal protective equipment as

required.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

Section: 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Not flammable or combustible.

Hazardous combustion

products

: Not applicable.

5.3 Advice for firefighters

for firefighters

Special protective equipment : Use personal protective equipment.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or

explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency

personnel

: Ensure adequate ventilation.

Keep people away from and upwind of spill/leak.

Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Advice for emergency

responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable

materials.

6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Stop leak if safe to do so.

> Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

Flush away traces with water.

For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

6.4 Reference to other sections

See Section 1 for emergency contact information.

For personal protection see section 8.

See Section 13 for additional waste treatment information.

Section: 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling

: Do not ingest. Do not breathe spray, vapour. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation. Mixing this product with acid or ammonia releases chlorine gas.

Hygiene measures

: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before reuse. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for guick drenching or flushing of the eyes and body in case of contact or splash hazard.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Do not store near acids. Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers.

Keep only in original packaging. Absorb spillage to prevent material damage.

Suitable material : Keep in properly labelled containers., Plastic material

Unsuitable material

Aluminium, Mild steel

7.3 Specific end uses

Specific use(s) : CLEANER

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Sodium Hydroxide	1310-73-2	OELV - 15 min (STEL)	2 mg/m3	IR_OEL

DNEL

DINEL		
Sodium Hydroxide	:	End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 1 mg/m3
		End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 1 mg/m3

8.2 Exposure controls

Appropriate engineering controls

Effective exhaust ventilation system.

Maintain air concentrations below occupational exposure standards.

Individual protection measures

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.Remove and wash contaminated clothing before reuse.Wash face, hands and any exposed skin thoroughly after handling.Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash

hazard.

Eye/face protection (EN

166)

: Safety goggles Face-shield

Hand protection (EN 374) : Recommended preventive skin protection

Gloves Nitrile rubber butyl-rubber

Breakthrough time: 1 – 4 hours

Minimum thickness for butyl-rubber 0.7 mm for nitrile rubber

0.4 mm or equivalent (please refer to the gloves

manufacturer/distributor for advise).

Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection

(EN 14605)

: Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing including

appropriate safety shoes

Respiratory protection (EN

143, 14387)

: When respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization, consider the use of certified respiratory protection equipment meeting EU requirements (89/656/EEC, (EU) 2016/425), or

equivalent, with filter type:P

Environmental exposure controls

General advice : Consider the provision of containment around storage

vessels.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : clear

Odour : characteristic

: > 100 °C Flash point

: 13 - 14, 100 % рΗ

(20 °C)

Odour Threshold : no data available Melting point/freezing point : no data available Initial boiling point and boiling : no data available

range

: no data available Evaporation rate Flammability (solid, gas) : no data available Upper explosion limit : no data available Lower explosion limit : no data available Vapour pressure : no data available Relative vapour density : no data available

Relative density : 1.04 - 1.06

Solubility(ies)

Water solubility : soluble in cold water, soluble in hot water

Solubility in other solvents : no data available Partition coefficient: n-: no data available

octanol/water

Auto-ignition temperature : no data available Thermal decomposition : no data available Viscosity, dynamic : no data available

Viscosity, kinematic : no data available Explosive properties : no data available Oxidizing properties : no data available

9.2 Other information

no data available

Section: 10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Mixing this product with acid or ammonia releases chlorine

gas.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Strong acids

> Aluminium Mild steel

10.6 Hazardous decomposition products

Hazardous decomposition

products

: Not applicable.

Section: 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Toxicity

Product

Acute oral toxicity : There is no data available for this product. Acute inhalation toxicity : There is no data available for this product. : There is no data available for this product. Acute dermal toxicity Skin corrosion/irritation There is no data available for this product.

Serious eye damage/eye

irritation

: There is no data available for this product.

Respiratory or skin

sensitization

: There is no data available for this product.

Carcinogenicity : There is no data available for this product.

Reproductive effects : There is no data available for this product.

Germ cell mutagenicity : There is no data available for this product.

Teratogenicity : There is no data available for this product.

STOT - single exposure : There is no data available for this product.

STOT - repeated exposure : There is no data available for this product.

Aspiration toxicity : There is no data available for this product.

Components

Acute oral toxicity : Sodium Hypochlorite

LD50 rat: 5,230 mg/kg

Amines, C12-14 alkyldimethyl, N-oxides

LD50 rat: 1,064 mg/kg

Components

Acute dermal toxicity : Sodium Hypochlorite

LD50 rabbit: > 10,000 mg/kg

Potential Health Effects

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal

use.

Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Further information : no data available

Section: 12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Product

Environmental Effects : Very toxic to aquatic life. Toxic to aquatic life with long

lasting effects.

Toxicity to fish : no data available

Toxicity to daphnia and other

aquatic invertebrates

: no data available

Toxicity to algae : no data available

Components

Toxicity to fish : Sodium Hypochlorite

96 h EC50: 0.14 mg/l

Amines, C12-14 alkyldimethyl, N-oxides

LC50: 2.67 mg/l

Components

Toxicity to daphnia and other : Sodium Hypochlorite

aquatic invertebrates

Sodium Hypochlorite 48 h EC50: 0.071 mg/l

Amines, C12-14 alkyldimethyl, N-oxides EC50 Daphnia magna (Water flea): 3.1 mg/l

Sodium Hydroxide 48 h EC50: 40 mg/l

Components

Toxicity to algae : Amines, C12-14 alkyldimethyl, N-oxides

LC50: 0.143 mg/l NOEC: 0.067 mg/l

12.2 Persistence and degradability

Product

no data available

Components

Biodegradability : Sodium Hypochlorite

Result: Not applicable - inorganic

Amines, C12-14 alkyldimethyl, N-oxides

Result: Readily biodegradable.

Sodium Hydroxide

Result: Not applicable - inorganic

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

Product

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

Guidance for Waste Code

selection

: Inorganic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator

to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local

regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)

14.1 UN number: UN 1791

14.2 UN proper shipping name: HYPOCHLORITE SOLUTION

14.3 Transport hazard class(es): 8

14.4 Packing group: III **14.5 Environmental hazards:** Yes

14.6 Special precautions for user: Not applicable.

Air transport (IATA)

14.1 UN number: UN 1791

14.2 UN proper shipping name: HYPOCHLORITE SOLUTION

14.3 Transport hazard class(es): 8
14.4 Packing group: III
14.5 Environmental hazards: Yes

14.6 Special precautions for user: Not applicable.

Sea transport (IMDG/IMO)

14.1 UN number: UN 1791

14.2 UN proper shipping name: HYPOCHLORITE SOLUTION

14.3 Transport hazard class(es): 8 **14.4 Packing group:** |||

14.5 Environmental hazards: Yes (Marine Pollutant)

14.6 Special precautions for user: Not applicable.14.7 Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and the IBC

Code:

Section: 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

INTERNATIONAL CHEMICAL CONTROL LAWS

NATIONAL REGULATIONS GERMANY
Water contaminating class : WGK 2

(Germany) Classification according to AwSV, Annex 1

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out on the product.

Section: 16. OTHER INFORMATION

Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification		
Corrosive to metals 1, H290	Based on product data or assessment		
Skin corrosion 1, H314	Based on product data or assessment		
Serious eye damage 1, H318	Based on product data or assessment		
Acute aquatic toxicity 1, H400	Calculation method		
Chronic aquatic toxicity 2, H411	Calculation method		

Full text of H-Statements

HOOO

H290	inay be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

May be correctly to metale

H411

Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number – European Community number; ECx – Concentration associated with x% response; ELx – Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS -Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR – (Quantitative) Structure Activity Relationship; REACH – Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT – Self-Accelerating Decomposition Temperature; SDS – Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet

: IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

The possible key literature references and data sources which may have been used in conjunction with the consideration of expert judgment to compile this Safety Data Sheet: European regulations/directives (including (EC) No. 1907/2006, (EC) No. 1272/2008), supplier data, inter-net, ESIS, IUCLID, ERIcards, Non European official regulatory data and other data sources.

Prepared By : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

		_	_			
вл в	\sim		\mathbf{r}	ıc	DE	=1
MΑ	U		u	13	Р 6	ᇎ

may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.