

# Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Product name	:	Ecobrite Softener Floral
Product code	:	109783E
Use of the Substance/Mixture	:	Laundry softener
Substance type:	:	Mixture
		For professional users only.
Product dilution information	:	No dilution information provided.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Conditioner (softner/starch). Semi automatic process Conditioner (softener/starch). Automatic process
Recommended restrictions on use	:	Reserved for industrial and professional use.

#### **1.3 Details of the supplier of the safety data sheet**

Company	<ul> <li>Ecolab Ltd.</li> <li>PO Box 11; Winnington Avenue</li> <li>Northwich, Cheshire, United Kingdom CW8 4DX</li> <li>+ 44 (0)1606 74488</li> <li>ccs@ecolab.com</li> </ul>
---------	--

#### **1.4 Emergency telephone number**

Emergency telephone number	:	+441618841235 +32-(0)3-575-5555 Trans-European
Poison Information Centre telephone number	:	For medical professionals only: 0344 892 0111

Date of Compilation/Revision : 30.08.2023 Version : 2.3

### Section: 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Additional Easening.	
Special labelling of certain mixtures	: Contains: Isoeugenol, May produce an allergic reaction.
mixtures	Safety data sheet available on request.

#### 2.3 Other hazards

Do not mix with bleach or other chlorinated products - will cause chlorine gas.

#### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

#### Hazardous components

Chemical Name	CAS-No.	Classification	Concentration		
	EC-No.	REGULATION (EC) No 1272/2008	: [%]		
	REACH No.				
Isoeugenol	97-54-1	Skin sensitization Sub-category 1A; H317	< 0.01		
-	202-590-7				
		Skin sensitization Category 1A			
		H317 >= 0.01 %			
For the full text of the H-Statements mentioned in this Section, see Section 16.					

#### Section: 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

In case of eye contact	: Rinse with plenty of water.
In case of skin contact	: Rinse with plenty of water.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.

#### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

#### 4.3 Indication of immediate medical attention and special treatment needed

Treatment

: No specific measures identified.

#### Section: 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

	Unsuitable extinguishing media	:	None known.		
5.2	5.2 Special hazards arising from the substance or mixture				
	Specific hazards during firefighting	:	Not flammable or combustible.		
	Hazardous combustion products	:	Depending on combustion properties, decomposition products may include following materials: Carbon oxides Sulphur oxides nitrogen oxides (NOx)		
5.3	Advice for firefighters				
	Special protective equipment for firefighters	:	Use personal protective equipment.		

: Fire residues and contaminated fire extinguishing water must be

disposed of in accordance with local regulations.

#### Section: 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel	:	Refer to protective measures listed in sections 7 and 8.
Advice for emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

#### 6.2 Environmental precautions

Further information

Environmental precautions : No special environmental precautions required.

#### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### 6.4 Reference to other sections

See Section 1 for emergency contact information. For personal protection see section 8. See Section 13 for additional waste treatment information.

#### Section: 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Advice on safe handling : Do not mix with bleach or other chlorinated products – will cause

chlorine gas.

Hygiene measures	: Wash hands before breaks and immediately after handling the
	product.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
Storage temperature	:	5 °C to 40 °C

#### 7.3 Specific end uses

Specific use(s)	: Conditioner (softner/starch). Semi automatic process
	Conditioner (softener/starch). Automatic process

# Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

# **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Isopropyl Alcohol	67-63-0	STEL	500 ppm 1,250 mg/m3	UKCOSSTD
		TWA	400 ppm 999 mg/m3	UKCOSSTD

#### DNEL

DNEL		
Isopropyl Alcohol	:	End Use: Workers Exposure routes: Dermal Potential health effects: Long-term systemic effects 888 mg/kg
		End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 500 mg/m3
		End Use: Consumers Exposure routes: Dermal Potential health effects: Long-term systemic effects 319 mg/kg
		End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 89 mg/m3
		End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects 26 mg/kg

PNEC

Isopropyl Alcohol	<ul> <li>Fresh water Value: 140.9 mg/l</li> <li>Marine water Value: 140.9 mg/l</li> <li>Intermittent use/release Value: 140.9 mg/l</li> <li>Fresh water Value: 552 mg/kg</li> <li>Marine sediment Value: 552 mg/kg</li> <li>Soil Value: 28 mg/kg</li> <li>Sewage treatment plant Value: 2251 mg/l</li> <li>Oral Value: 160 mg/kg</li> </ul>
-------------------	---

# 8.2 Exposure controls

Appropriate	engineering	controls
-------------	-------------	----------

Engineering measures	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection measur	es	
Hygiene measures	:	Wash hands before breaks and immediately after handling the product.
Eye/face protection (EN 166)	:	No special protective equipment required.
Hand protection (EN 374)	:	No special protective equipment required.
Skin and body protection (EN 14605)	:	No special protective equipment required.
Respiratory protection (EN 143, 14387)	:	None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

# Environmental exposure controls

# Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: light pink
Odour	: Perfumes, fragrances
рН	: 2.4 - 2.7, 100 %
Flash point	: Not applicable.
Odour Threshold	: Not applicable and/or not determined for the mixture
Melting point/freezing point	: Not applicable and/or not determined for the mixture
Initial boiling point and boiling range	: 100 °C
Evaporation rate	: Not applicable and/or not determined for the mixture
Flammability (solid, gas)	: Not applicable and/or not determined for the mixture
Upper explosion limit	: Not applicable and/or not determined for the mixture
Lower explosion limit	: Not applicable and/or not determined for the mixture
Vapour pressure	: Not applicable and/or not determined for the mixture
Relative vapour density	: Not applicable and/or not determined for the mixture
Relative density	: 0.997 - 1.001
Water solubility	: soluble
Solubility in other solvents	: Not applicable and/or not determined for the mixture
Partition coefficient: n- octanol/water	: Not applicable and/or not determined for the mixture
Auto-ignition temperature	: Not applicable and/or not determined for the mixture
Thermal decomposition	: Not applicable and/or not determined for the mixture
Viscosity, kinematic	: 50.140 mm2/s (40 °C)
Explosive properties	: Not applicable and/or not determined for the mixture
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

# 9.1 Information on basic physical and chemical properties

#### 9.2 Other information

Not applicable and/or not determined for the mixture

#### Section: 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

Stable under normal conditions.

#### **10.3 Possibility of hazardous reactions**

Do not mix with bleach or other chlorinated products - will cause chlorine gas.

#### 10.4 Conditions to avoid

None known.

#### 10.5 Incompatible materials

Bases

# **10.6 Hazardous decomposition products**

Depending on combustion properties, decomposition products may include following materials: Carbon oxides Sulphur oxides nitrogen oxides (NOx)

# Section: 11. TOXICOLOGICAL INFORMATION

#### **11.1 Information on toxicological effects**

Information on likely routes of exposure	:	Inhalation, Eye contact, Skin contact
Product		
Acute oral toxicity	:	There is no data available for this product.
Acute inhalation toxicity	:	There is no data available for this product.
Acute dermal toxicity	:	There is no data available for this product.
Skin corrosion/irritation	:	There is no data available for this product.
Serious eye damage/eye irritation	:	There is no data available for this product.
Respiratory or skin sensitization	:	There is no data available for this product.
Carcinogenicity	:	There is no data available for this product.
Reproductive effects	:	There is no data available for this product.
Germ cell mutagenicity	:	There is no data available for this product.
Teratogenicity	:	There is no data available for this product.
STOT - single exposure	:	There is no data available for this product.
STOT - repeated exposure	:	There is no data available for this product.
Aspiration toxicity	:	There is no data available for this product.
Components		
Acute oral toxicity	:	Isoeugenol LD50 rat: 1,560 mg/kg
Components		

Ecobrite Softener Floral	
Acute dermal toxicity	: Isoeugenol LD50 rabbit: 1,770 mg/kg
Potential Health Effects	
Eyes	: Health injuries are not known or expected under normal use.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.
Experience with human exp	osure
Eye contact	: No symptoms known or expected.
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

# Section: 12. ECOLOGICAL INFORMATION

# 12.1 Toxicity

Environmental Effects	:	This product has no known ecotoxicological effects.
Product		
Toxicity to fish	:	no data available
Toxicity to daphnia and other aquatic invertebrates	:	no data available
Toxicity to algae	:	no data available
Components		
Toxicity to daphnia and other aquatic invertebrates	:	Isoeugenol48 h EC50 Daphnia magna (Water flea): 7.5 mg/l
12.2 Persistence and degradabil	lity	
Product		
Biodegradability	:	The surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC
Components		
Biodegradability	:	IsoeugenolResult: Readily biodegradable.

# 12.3 Bioaccumulative potential

no data available

# 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

#### Product

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

no data available

#### Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste.Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

#### 13.1 Waste treatment methods

Product	:	Diluted product can be flushed to sanitary sewer if regulations permit.
Contaminated packaging	:	Dispose of in accordance with local, state, and federal regulations.
Guidance for Waste Code selection	:	Organic wastes containing not dangerous substances with concentration $>= 0.1\%$ . If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

#### Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (ADR/ADN/RID)

14.1 UN number	: Not dangerous goods
14.2 UN proper shipping	: Not dangerous goods
name	
14.3 Transport hazard	: Not dangerous goods
class(es)	
14.4 Packing group	: Not dangerous goods
14.5 Environmental hazards	: Not dangerous goods
14.6 Special precautions for	: Not dangerous goods
user	

#### Air transport (IATA)

14.1 UN number : Not dangerous goods

14.2 UN proper shipping	: Not dangerous goods
	. Natilan name
14.3 Transport hazard class(es)	: Not dangerous goods
14.4 Packing group	: Not dangerous goods
14.5 Environmental hazards	: Not dangerous goods
14.6 Special precautions for	: Not dangerous goods
user	

#### Sea transport (IMDG/IMO)

14.1 UN number	: Not dangerous goods
14.2 UN proper shipping	: Not dangerous goods
name	
14.3 Transport hazard	: Not dangerous goods
class(es)	
14.4 Packing group	: Not dangerous goods
14.5 Environmental hazards	: Not dangerous goods
14.6 Special precautions for	: Not dangerous goods
user	
14.7 Transport in bulk	: Not dangerous goods
according to Annex II of	
MARPOL 73/78 and the IBC	
Code	

#### Section: 15. REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

	cording to Detergents egulation EC 648/2004	:	5 % or over but less than 15 %: Cationic surfactants Other constituents: Perfumes Preservation agents: 2-Methyl-4-isothazolin-3-one 1,2-benzisothiazol-3(2H)-one Allergens: Citronellol Geraniol Limonene Alpha-Isomethyl Ionone Linalool
5	vooo III: Dirootivo		Not applicable

Seveso III: Directive : Not applicable. 2012/18/EU of the European Parliament and of the Council on the control of majoraccident hazards involving dangerous substances.

Candidate List of Substances : Not applicable. of Very High Concern for Authorisation

#### **National Regulations**

#### Take note of Dir 94/33/EC on the protection of young people at work.

Other regulations	:	The Chemicals (Hazard Information and Packaging for Supply)
		Regulations.

The Control of Substances Hazardous to Health Regulations. Health and Safety at Work Act.

#### **15.2 Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out on the product. **Section: 16. OTHER INFORMATION** 

#### Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification
Not a hazardous substance or mixture.	Calculation method

#### Full text of H-Statements

H317

May cause an allergic skin reaction.

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population: LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Prepared by

: Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### Annex: Exposure Scenarios

#### Exposure Scenario: Conditioner (softener/starch). Automatic process

Life Cycle Stage	:	Use at industrial sites	
Product category	:	PC35	Washing and cleaning products (including solvent based products)

#### Contributing scenario controlling environmental exposure for:

Environmental release category	:	ERC4	Industrial use of processing aids in processes and products, not becoming part of articles
Daily amount per site	:	50 kg	
Type of Sewage Treatment Plant	:	Municipal se	ewage treatment plant

#### Contributing scenario controlling worker exposure for:

Process category	:	PROC8b	Transfer of substance or preparation (chargi discharging) from/ to vessels/ large containe dedicated facilities	•
Exposure duration	:	60 min		
Operational conditions and risk management measures	:	Indoor		
		Local Exha	ust Ventilation is not required	
General ventilation		Ventilation	rate per hour	1
Skin Protection	:	see section	8	
Respiratory Protection	:	see section	8	

#### Contributing scenario controlling worker exposure for:

Process category	:	PROC2	Use in closed, continuous process with occasional controlled exposure
Exposure duration	:	480 min	
Operational conditions and risk management measures	:	Indoor	

Local Exhaust Ventilation is not required

General ventilation		Ventilation rate per hour 1			
Skin Protection	:	see section 8			
Respiratory Protection	:	see section 8			
		- / 61			
-	one	-	arch). Semi automatic process		
Life Cycle Stage	:	Widespread	d use by professional workers		
Product category	:	PC35	Washing and cleaning products (including solvent based products)		
Contributing scenario contro	ollir	ng environm	ental exposure for:		
Environmental release category	:	ERC8a	Wide dispersive indoor use of processing aids in open systems		
Daily amount per site	:	7.5 kg			
Type of Sewage Treatment Plant	:	Municipal s	Municipal sewage treatment plant		
Contributing scenario contro	ollir	ng worker ex	oposure for:		
Process category	:	PROC8a	Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non- dedicated facilities		
Exposure duration	:	60 min			
Operational conditions and risk management measures	:	Indoor			
		Local Exha	ust Ventilation is not required		
General ventilation		Ventilation rate per hour 1			
Skin Protection	:	see section 8			
Respiratory Protection	:	see section	8		
Contributing scenario contro	ollir	ng worker ex	xposure for:		
Process category	:	PROC1	Use in closed process, no likelihood of exposure		
Exposure duration	:	480 min			
Operational conditions and risk management measures	:	Indoor			
		Local Exha	ust Ventilation is not required		
General ventilation		Ventilation I	rate per hour 1		
Skin Protection	:	see section	8		
Respiratory Protection	:	see section	8		
109783E			13 / 14		