

SAFETY DATA SHEET **Brakes Essentials Washing Up Liquid**

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Brakes Essentials Washing Up Liquid

Product number 800-152-0001

Container size 5 litres

UFI UFI: 1PHV-XWKV-PJ7P-MD4V

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent.

Uses advised against Not for Oral Consumption. Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier Brake Bros Ltd, Enterprise House, Eureka Business Park, Ashford, Kent, TN25 4AG, UK

Pallas Foods, Ardagh Road, Newcastle West, Co. Limerick, Ireland

+44 (0) 345 606 9090 www.brake.co.uk

customer.services@brake.co.uk

Contact person For content of safety data sheet:, customer.services@brake.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0)345 606 9090 (Office hours 7.30hrs to 18.00 hrs Monday to Friday)

number

National emergency telephone In case of a medical emergency following exposure to a chemical call NHS Direct in England

or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24

Ireland: For information or to report a poisoning incident contact The National Poisons

Information Centre (01 8092166)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

Health hazards Eye Dam. 1 - H318

Environmental hazards Aquatic Chronic 3 - H412

2.2. Label elements

Hazard pictograms



Signal word Danger

Brakes Essentials Washing Up Liquid

Hazard statements H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P102 Keep out of reach of children.

P101 If medical advice is needed, have product container or label at hand.

P264 Wash contaminated skin thoroughly after handling.

P280 Wear eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention.

P391 Collect spillage.

P501 Dispose of contents/ container in accordance with local regulations.

Contains C12-14-ALKYL ETHER SULFATES, COCONUT DIETHANOLAMIDE

Detergent labelling < 5% anionic surfactants, < 5% non-ionic surfactants, Contains 2-Bromo-2-nitropropane-1, 3-

diol

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

C12-14-ALKYL ETHER SULFATES 3.0%

Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

COCONUT DIETHANOLAMIDE <1%

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Irrit. 2 - H315 Xi;R38,R41.

Eye Dam. 1 - H318 Aquatic Chronic 2 - H411

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

0.15%

M factor (Acute) = 1

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 Xn;R22. Xi;R38,R41. N;R50.

Skin Irrit. 2 - H315
Eye Dam. 1 - H318
Aquatic Acute 1 - H400
Aquatic Chronic 2 - H411

Brakes Essentials Washing Up Liquid

PHOSPHORIC ACID <1%

Classification Classification (67/548/EEC or 1999/45/EC)

Met. Corr. 1 - H290 C;R34

Skin Corr. 1B - H314 Eye Dam. 1 - H318

BRONOPOL (INN) 0.02%

M factor (Acute) = 10

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 Xn;R21/22 Xi;R37/38,R41 N;R50

Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Provide eyewash station.

Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical

attention if any discomfort continues.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention

if irritation persists after washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe

or persist after washing. Show this Safety Data Sheet to the medical personnel.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information Provide eyewash station.

Inhalation Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at

ambient temperature.

Ingestion Unlikely exposure route without abuse. Symptoms will include, Sickness, possible Irritation of

GI Tract. A soapy taste may be reported.

Skin contact Prolonged contact may cause redness, irritation and dry skin.

Eye contact The product is irritating to eyes and skin. Prolonged or repeated exposure may cause the

following adverse effects: Irritation and redness, followed by blurred vision. Corneal damage.

Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

Thermal decomposition or combustion products may include the following substances: Oxides

of carbon. Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting

Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8. Treat the spilled material according to the instructions

in the clean-up section. Take care as floors and other surfaces may become slippery.

6.2. Environmental precautions

Environmental precautions

Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or

watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Wear protective

clothing as described in Section 8 of this safety data sheet. Avoid breathing vapour/spray. Do

not mix with other household chemical products. Do not mix with acid.

Advice on general occupational hygiene

Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling. Take off contaminated clothing and wash it before reuse. Use appropriate hand lotion to prevent defatting and cracking of skin.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store at room

temperature. Keep out of the reach of children. Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No smoking.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

PHOSPHORIC ACID

Long-term exposure limit (8-hour TWA): WEL 1 mg/m³ Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit.

C12-14-ALKYL ETHER SULFATES (CAS: 68891-38-3)

DNEL Workers - Inhalation; Long term systemic effects: 175 mg/m³

Workers - Dermal; Long term systemic effects: 2750 mg/kg/day Consumer - Inhalation; Long term systemic effects: 52 mg/m³ Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day Consumer - Oral; Long term systemic effects: 15 mg/kg/day

PNEC - Fresh water; 0.24 mg/l

marine water; 0.024 mg/l
Intermittent release; 0.071 mg/l
Sediment, Fresh water; 0.917 mg/kg
Sediment, marine water; 0.092 mg/kg

Soil; 7.5 mg/kgSTP; 10,000 mg/l

COCONUT DIETHANOLAMIDE (CAS: 68155-07-7)

DNEL Workers - Inhalation; Long term systemic effects: 73.4 mg/m³

Workers - Dermal; Long term systemic effects: 4.16 mg/kg/day Workers - Dermal; Long term local effects: 0.0936 mg/cm²

General population - Inhalation; Long term systemic effects: 21.73 mg/m^3 General population - Dermal; Long term systemic effects: 2.5 mg/kg/day

General population - Dermal; Long term local effects: 0.0562 mg/cm² General population - Oral; Long term systemic effects: 6.25 mg/kg/day

PNEC - Fresh water; 0.007 mg/l

- marine water; 0.001 mg/l

- STP; 830 mg/l

Sediment (Freshwater); 0.195 mg/kgSediment (Marinewater); 0.019 mg/kg

- Soil: 0.035

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES (CAS: 308062-28-4)

DNEL Workers - Inhalation; Long term systemic effects: 15.5 mg/m³

Workers - Dermal; Long term systemic effects: 11 mg/kg/day

General population - Inhalation; Long term systemic effects: 3.8 mg/m³ General population - Dermal; Long term systemic effects: 5.5 mg/kg/day General population - Oral; Long term systemic effects: 0.44 mg/kg/day

PNEC - Fresh water; 0.034 mg/l

- marine water; 0.003 mg/l

- STP; 24 mg/l

Sediment (Freshwater); 5.24 mg/kgSediment (Marinewater); 0.524 mg/kg

- Soil; 1.02 mg/kg

DIETHANOLAMINE (CAS: 111-42-2)

DNEL Workers - Inhalation; Long term local effects: 1 mg/m³

Workers - Dermal; Long term systemic effects: 0.13 mg/cm²

General population - Inhalation; Long term local effects: 0.25 mg/m³ General population - Dermal; Long term systemic effects: 0.07 mg/kg/day General population - Oral; Long term systemic effects: 0.06 mg/kg/day

PNEC - Fresh water; 0.02 mg/l

- marine water; 0.002 mg/l

- STP; 100 mg/l

Sediment (Freshwater); 0.092 mg/kgSediment (Marinewater); 0.009 mg/kg

- Soil; 0.007 mg/kg

PHOSPHORIC ACID (CAS: 7664-38-2)

DNEL Workers - Inhalation; Long term systemic effects: 10.7 mg/m³

Workers - Inhalation; Long term local effects: 1 mg/m³ Workers - Inhalation; Short term local effects: 2 mg/m³

General population - Inhalation; Long term systemic effects: 4.57 mg/m³ General population - Inhalation; Long term local effects: 0.36 mg/m³ General population - Oral; Long term systemic effects: 0.1 mg/kg/day

BRONOPOL (INN) (CAS: 52-51-7)

DNEL Workers - Inhalation; Long term systemic effects: 4.1 mg/m³

Workers - Inhalation; Short term systemic effects: 12.3 mg/m³

Workers - Inhalation; Long term local effects: 4.2 mg/m³

Workers - Inhalation; Short term local effects: 4.2 mg/m³

Workers - Dermal; Long term systemic effects: 2.3 mg/kg/day

Workers - Dermal; Short term systemic effects: 7 mg/kg/day

Workers - Dermal; Long term local effects: 0.013 mg/cm²

Workers - Dermal; Short term local effects: 0.013 mg/cm²

General population - Inhalation; Long term systemic effects: 1.2 mg/m³

General population - Inhalation; Short term systemic effects: 3.7 mg/m3

General population - Inhalation; Long term local effects: 1.3 mg/m³

General population - Inhalation; Short term local effects: 1.3 mg/m³

General population - Dermal; Long term systemic effects: 1.4 mg/kg/day

General population - Dermal; Short term systemic effects: 4.2 mg/kg/day

General population - Dermal; Long term local effects: 0.008 mg/cm²

General population - Dermal; Short term local effects: 0.008 mg/cm² General population - Oral; Long term systemic effects: 0.35 mg/kg/day

General population - Oral; Short term systemic effects: 1.1 mg/kg/day

PNEC - Fresh water; 0.01 mg/l

- marine water; 0.008 mg/l

- Intermittent release; 0.0025 mg/l

- STP; 0.43 mg/l

Sediment (Freshwater); 0.041 mg/kgSediment (Marinewater); 0.00328 mg/kg

- Soil; 0.5 mg/kg

8.2. Exposure controls

Protective equipment





Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment that provides appropriate eye and face protection should be worn.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). Neoprene. Nitrile rubber. Polyethylene. To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist degradation. A break through time of >60 minutes is suggested. Gloves should be inspected regularly for damage.

Other skin and body

protection

Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate

hand lotion to prevent defatting and cracking of skin.

Hygiene measures

Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.

Respiratory protection

Respiratory protection not required.

Environmental exposure

controls

Avoid releasing into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Green.

Odour Perfumed.

Odour threshold Not applicable.

pH pH (concentrated solution): 7.5

Melting pointNot applicable.Flash pointNot applicable.Evaporation rateNot applicable.Evaporation factorNot applicable.

Brakes Essentials Washing Up Liquid

Flammability (solid, gas) Not applicable.

Upper/lower flammability or

explosive limits

Not applicable.

Other flammability Not applicable.

Vapour pressure Not applicable.

Vapour density Not applicable.

Relative density 1.015 @ 20°C

Bulk density Not applicable.

Solubility(ies) Soluble in water.

Partition coefficient Not applicable.

Auto-ignition temperature Not applicable.

Decomposition Temperature Not applicable.

Viscosity No information available.

Explosive properties Not applicable

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties Not applicable.

Comments Information given is applicable to the product as supplied.

9.2. Other information

Other information Not relevant.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Under normal storage conditions this product is stable.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Not applicable.

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition

No known hazardous decomposition products.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Brakes Essentials Washing Up Liquid

Toxicological effects Information given is based on data of the components and of similar products.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Calculation method. Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritationBased on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage. Calculation method. Irritation of eyes is assumed.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisationBased on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitroDoes not contain any substances known to be mutagenic.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposureNot classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

General information This product has low toxicity.

Inhalation Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at

ambient temperature.

Ingestion May cause irritation. Symptoms following overexposure may include the following: Stomach

pain. Nausea, vomiting. Diarrhoea.

Skin contact Skin irritation should not occur when used as recommended. Prolonged or repeated exposure

may cause the following adverse effects: Irritation. Redness. Dryness and/or cracking. Mild

dermatitis, allergic skin rash.

Eye contact Irritating to eyes. May cause serious eye damage. Severe irritation, burning, tearing and

blurred vision. Corneal damage.

Toxicological information on ingredients.

C12-14-ALKYL ETHER SULFATES

Acute toxicity - oral

Brakes Essentials Washing Up Liquid

Acute toxicity oral (LD50

mg/kg)

4,100.0

Species Rat

ATE oral (mg/kg) 4,100.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,001.0

mg/kg)

Species Rat

2,001.0 ATE dermal (mg/kg)

SECTION 12: Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

12.1. Toxicity

Toxicity The product contains a substance which is harmful to aquatic organisms.

Ecological information on ingredients.

C12-14-ALKYL ETHER SULFATES

Acute aquatic toxicity

Acute toxicity - fish LC₅o, 96 hours: 7.1 mg/l, Brachydanio rerio (Zebra Fish)

REACH dossier information.

Acute toxicity - aquatic

EC₅₀, 48 hours: 7.2 mg/l, Daphnia magna

invertebrates

REACH dossier information.

Chronic aquatic toxicity

Chronic toxicity - fish early NOEC, 28 days: 0.14 mg/l, Oncorhynchus mykiss (Rainbow trout)

life stage

REACH dossier information.

Chronic toxicity - aquatic

NOEC, 21 days: 0.27 mg/l, Daphnia magna

invertebrates

REACH dossier information.

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria

as laid down in The Detergents Regulations (as amended).

Ecological information on ingredients.

C12-14-ALKYL ETHER SULFATES

Biodegradation Expected to be readily biodegradable.

Water - Degradation 100%: 28 days

REACH dossier information.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not applicable.

Ecological information on ingredients.

C12-14-ALKYL ETHER SULFATES

Brakes Essentials Washing Up Liquid

Bioaccumulative potential The product is not bioaccumulating.

Partition coefficient log Pow: ~ 0.3 REACH dossier information.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

Ecological information on ingredients.

C12-14-ALKYL ETHER SULFATES

Mobility The product is soluble in water.

Adsorption/desorption

coefficient

- Log Koc: 0.34 @ °F

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

Ecological information on ingredients.

C12-14-ALKYL ETHER SULFATES

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current UK criteria. assessment

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Do not discharge into drains or watercourses or onto the ground.

Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Normal use solutions are expected to be flushed to sewers.

Reuse or recycle products wherever possible.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).

EH40/2005 Workplace exposure limits.

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 (SI 2020 No. 1577) (as amended).

The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 696) (as amended).

The Detergents Regulations 2010 (SI 2010 No. 740) (as amended). The Detergents (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 612) (as amended). The Detergents (Safeguarding) (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 671) (as amended). The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (as amended).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

EU legislation

European Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures (as amended)

European Regulation (EC) No 1907/2006 - Registration, Evaluation, Authorisation and

Restriction of Chemicals (REACH) (as amended)

European Regulation (EC) No 648/2004 on detergents (as amended)

European Regulation (EU) No 528/2012 concerning the making available on the market and

use of biocidal products (BPR) as amended

Guidance Workplace Exposure Limits EH40.

COSHH Essentials.

ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets.

Technical Guidance WM2: Hazardous Waste.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Brakes Essentials Washing Up Liquid

Abbreviations and acronyms DNEL: Derived No Effect Level.

used in the safety data sheet PBT: Persistent, Bioaccumulative and Toxic substance.

PNEC: Predicted No Effect Concentration.

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978.

Revision commentsNOTE: Lines within the margin indicate significant changes from the previous revision. Note:

Finished product SDS take their revision history from the parent bulk liquid SDS. The revision

data will show that of the parent liquid. Revised classification.

Revision date 02/11/2022

Revision 6

Supersedes date 14/02/2022

SDS number 23163

Risk phrases in full Not classified.

R21/22 Harmful in contact with skin and if swallowed.

R22 Harmful if swallowed.

R37/38 Irritating to respiratory system and skin.

R38 Irritating to skin.

R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms.

Hazard statements in full H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

----- END OF SDS -----