

SAFETY DATA SHEET

Brakes Essentials Washing Up Liquid

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

1.1. Product identifier Product name Brakes Essentials Washing Up Liquid Product number 800-288-0100 Container size 500 ml UFI UFI: 1PHV-XWKV-PJ7P-MD4V 1.2. Relevant identified uses of the substance or mixture and uses advised against		
Product number800-288-0100Container size500 mlUFIUFI: 1PHV-XWKV-PJ7P-MD4V1.2. Relevant identified uses of the substance or mixture and uses advised against		
Container size 500 ml UFI UFI: 1PHV-XWKV-PJ7P-MD4V 1.2. Relevant identified uses of the substance or mixture and uses advised against		
UFI UFI: 1PHV-XWKV-PJ7P-MD4V 1.2. Relevant identified uses of the substance or mixture and uses advised against		
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified was		
Identified uses Detergent.		
Uses advised against Not for Oral Consumption. Use only for intended applications.		
1.3. Details of the supplier of the safety data sheet		
Supplier Brake Bros Ltd, Enterprise House, Eureka Business Park, Ashford, Kent, TN25 4A0	G, UK	
Pallas Foods, Ardagh Road, Newcastle West, Co. Limerick, Ireland +44 (0) 345 606 9090 www.brake.co.uk customer.services@brake.co.uk		
Contact person For content of safety data sheet:, customer.services@brake.co.uk		
1.4. Emergency telephone number		
Emergency telephone +44 (0)345 606 9090 (Office hours 7.30hrs to 18.00 hrs Monday to Friday)		
National emergency telephoneIn case of a medical emergency following exposure to a chemical call NHS Direct in or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 Ireland: For information or to report a poisoning incident contact The National Poison Information Centre (01 8092166)	-	
SECTION 2: Hazards identification		

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)		
Physical hazards	Not Classified	
Health hazards	Eye Dam. 1 - H318	
Environmental hazards	Aquatic Chronic 3 - H412	
2.2. Label elements		

Hazard pictograms

Hazard statements	H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	 P102 Keep out of reach of children. P101 If medical advice is needed, have product container or label at hand. P264 Wash contaminated skin thoroughly after handling. P280 Wear eye protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention. P391 Collect spillage. P501 Dispose of contents/ container in accordance with local regulations.
Contains	C12-14-ALKYL ETHER SULFATES, COCONUT DIETHANOLAMIDE
Detergent labelling	< 5% anionic surfactants, < 5% non-ionic surfactants, Contains 2-Bromo-2-nitropropane-1, 3- diol

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

3.2. Mixtures		
C12-14-ALKYL ETHER SULFATE	s	3.0%
CAS number: 68891-38-3	EC number: 500-234-8	
Classification		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
Aquatic Chronic 3 - H412		
COCONUT DIETHANOLAMIDE		<1%
CAS number: 68155-07-7	EC number: 931-329-6	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Skin Irrit. 2 - H315	Xi;R38,R41.	
Eye Dam. 1 - H318		
Aquatic Chronic 2 - H411		
AMINES, C12-14 -ALKYLDIMETH	HYL, N-OXIDES	0.15%
CAS number: 308062-28-4 EC number: 931-292-6		
M factor (Acute) = 1		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Acute Tox. 4 - H302	Xn;R22. Xi;R38,R41. N;R50.	
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
Aquatic Acute 1 - H400		
Aquatic Chronic 2 - H411		

PHOSPHORIC ACID		<1%
CAS number: 7664-38-2	EC number: 231-633-2	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Met. Corr. 1 - H290	C;R34	
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
BRONOPOL (INN)		0.02%
CAS number: 52-51-7	EC number: 200-143-0	
M factor (Acute) = 10		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Acute Tox. 4 - H302	Xn;R21/22 Xi;R37/38,R41 N;R50	
Acute Tox. 4 - H312		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
STOT SE 3 - H335		
Aquatic Acute 1 - H400		
Aquatic Chronic 2 - H411		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures **General information** Provide eyewash station. Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues. Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues. Skin contact Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing. Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist after washing. Show this Safety Data Sheet to the medical personnel. Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue. 4.2. Most important symptoms and effects, both acute and delayed General information Provide eyewash station. Inhalation Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at ambient temperature. Ingestion Unlikely exposure route without abuse. Symptoms will include, Sickness, possible Irritation of GI Tract. A soapy taste may be reported. Skin contact Prolonged contact may cause redness, irritation and dry skin. Eye contact The product is irritating to eyes and skin. Prolonged or repeated exposure may cause the following adverse effects: Irritation and redness, followed by blurred vision. Corneal damage. Risk of serious damage to eyes.

4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	No specific recommendations.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.
5.2. Special hazards arising fro	om the substance or mixture
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.
5.3. Advice for firefighters	
Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	For personal protection, see Section 8. Treat the spilled material according to the instructions in the clean-up section. Take care as floors and other surfaces may become slippery.
6.2. Environmental precaution	<u>s</u>
Environmental precautions	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.
6.4. Reference to other section	ns in the second s
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid breathing vapour/spray. Do not mix with other household chemical products. Do not mix with acid.
Advice on general occupational hygiene	Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling. Take off contaminated clothing and wash it before reuse. Use appropriate hand lotion to prevent defatting and cracking of skin.
7.2. Conditions for safe storag	e, including any incompatibilities
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store at room temperature. Keep out of the reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
7.3. Specific end use(s)	

Specific end use(s)	end use(s) The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure controls/Personal protection		
8.1. Control parameters Occupational exposure limits PHOSPHORIC ACID		
Long-term exposure limit (8-ho Short-term exposure limit (15- WEL = Workplace Exposure L	minute): WEL 2 mg/m ³	
	C12-14-ALKYL ETHER SULFATES (CAS: 68891-38-3)	
DNEL	Workers - Inhalation; Long term systemic effects: 175 mg/m³ Workers - Dermal; Long term systemic effects: 2750 mg/kg/day Consumer - Inhalation; Long term systemic effects: 52 mg/m³ Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day Consumer - Oral; Long term systemic effects: 15 mg/kg/day	
PNEC	 Fresh water; 0.24 mg/l marine water; 0.024 mg/l Intermittent release; 0.071 mg/l Sediment, Fresh water; 0.917 mg/kg Sediment, marine water; 0.092 mg/kg Soil; 7.5 mg/kg STP; 10,000 mg/l 	
	COCONUT DIETHANOLAMIDE (CAS: 68155-07-7)	
DNEL	Workers - Inhalation; Long term systemic effects: 73.4 mg/m ³ Workers - Dermal; Long term systemic effects: 4.16 mg/kg/day Workers - Dermal; Long term local effects: 0.0936 mg/cm ² General population - Inhalation; Long term systemic effects: 21.73 mg/m ³ General population - Dermal; Long term systemic effects: 2.5 mg/kg/day General population - Dermal; Long term local effects: 0.0562 mg/cm ² General population - Oral; Long term systemic effects: 6.25 mg/kg/day	
PNEC	 Fresh water; 0.007 mg/l marine water; 0.001 mg/l STP; 830 mg/l Sediment (Freshwater); 0.195 mg/kg Sediment (Marinewater); 0.019 mg/kg Soil; 0.035 AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES (CAS: 308062-28-4)	
DNEL	Workers - Inhalation; Long term systemic effects: 15.5 mg/m ³	
	Workers - Dermal; Long term systemic effects: 11 mg/kg/day General population - Inhalation; Long term systemic effects: 3.8 mg/m ³ General population - Dermal; Long term systemic effects: 5.5 mg/kg/day General population - Oral; Long term systemic effects: 0.44 mg/kg/day	

PNEC	- Fresh water; 0.034 mg/l - marine water; 0.003 mg/l - STP; 24 mg/l - Sediment (Freshwater); 5.24 mg/kg - Sediment (Marinewater); 0.524 mg/kg - Soil; 1.02 mg/kg
	DIETHANOLAMINE (CAS: 111-42-2)
DNEL	Workers - Inhalation; Long term local effects: 1 mg/m ³ Workers - Dermal; Long term systemic effects: 0.13 mg/cm ² General population - Inhalation; Long term local effects: 0.25 mg/m ³ General population - Dermal; Long term systemic effects: 0.07 mg/kg/day General population - Oral; Long term systemic effects: 0.06 mg/kg/day
PNEC	 Fresh water; 0.02 mg/l marine water; 0.002 mg/l STP; 100 mg/l Sediment (Freshwater); 0.092 mg/kg Sediment (Marinewater); 0.009 mg/kg Soil; 0.007 mg/kg
	PHOSPHORIC ACID (CAS: 7664-38-2)
DNEL	Workers - Inhalation; Long term systemic effects: 10.7 mg/m ³ Workers - Inhalation; Long term local effects: 1 mg/m ³ Workers - Inhalation; Short term local effects: 2 mg/m ³ General population - Inhalation; Long term systemic effects: 4.57 mg/m ³ General population - Inhalation; Long term local effects: 0.36 mg/m ³ General population - Oral; Long term systemic effects: 0.1 mg/kg/day
	BRONOPOL (INN) (CAS: 52-51-7)
DNEL	 Workers - Inhalation; Long term systemic effects: 4.1 mg/m³ Workers - Inhalation; Short term systemic effects: 12.3 mg/m³ Workers - Inhalation; Long term local effects: 4.2 mg/m³ Workers - Inhalation; Short term local effects: 4.2 mg/m³ Workers - Dermal; Long term systemic effects: 2.3 mg/kg/day Workers - Dermal; Short term systemic effects: 7 mg/kg/day Workers - Dermal; Long term local effects: 0.013 mg/cm² Workers - Dermal; Short term local effects: 0.013 mg/cm² General population - Inhalation; Long term systemic effects: 1.2 mg/m³ General population - Inhalation; Short term systemic effects: 1.3 mg/m³ General population - Inhalation; Short term local effects: 1.3 mg/m³ General population - Inhalation; Short term local effects: 1.4 mg/kg/day General population - Dermal; Short term systemic effects: 4.2 mg/kg/day General population - Dermal; Short term systemic effects: 0.008 mg/cm² General population - Dermal; Short term local effects: 0.008 mg/cm² General population - Dermal; Short term local effects: 0.008 mg/cm² General population - Dermal; Short term local effects: 0.008 mg/cm² General population - Dermal; Short term local effects: 0.008 mg/cm² General population - Dermal; Short term local effects: 0.008 mg/cm² General population - Dermal; Short term local effects: 0.35 mg/kg/day General population - Oral; Short term systemic effects: 1.1 mg/kg/day

PNEC	 Fresh water; 0.01 mg/l marine water; 0.008 mg/l Intermittent release; 0.0025 mg/l STP; 0.43 mg/l Sediment (Freshwater); 0.041 mg/kg Sediment (Marinewater); 0.00328 mg/kg Soil; 0.5 mg/kg
8.2. Exposure controls	
Protective equipment	
Appropriate engineering controls	Provide adequate ventilation.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment that provides appropriate eye and face protection should be worn.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). Neoprene. Nitrile rubber. Polyethylene. To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist degradation. A break through time of >60 minutes is suggested. Gloves should be inspected regularly for damage.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate hand lotion to prevent defatting and cracking of skin.
Hygiene measures	Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.
Respiratory protection	Respiratory protection not required.
Environmental exposure controls	Avoid releasing into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Green.
Odour	Perfumed.
Odour threshold	Not applicable.
рН	pH (concentrated solution): 7.5
Melting point	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Evaporation factor	Not applicable.

Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explosive limits	Not applicable.	
Other flammability	Not applicable.	
Vapour pressure	Not applicable.	
Vapour density	Not applicable.	
Relative density	1.015 @ 20°C	
Bulk density	Not applicable.	
Solubility(ies)	Soluble in water.	
Partition coefficient	Not applicable.	
Auto-ignition temperature	Not applicable.	
Decomposition Temperature	Not applicable.	
Viscosity	No information available.	
Explosive properties	Not applicable	
Explosive under the influence of a flame	Not considered to be explosive.	
Oxidising properties	Not applicable.	
Comments	Information given is applicable to the product as supplied.	
9.2. Other information		
Other information	Not relevant.	
SECTION 10: Stability and rea	Ictivity	
10.1. Reactivity		
Reactivity	Under normal storage conditions this product is stable.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures.	
10.3. Possibility of hazardous		
Possibility of hazardous reactions	Not applicable.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.	
10.5. Incompatible materials		
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	No known hazardous decomposition products.	
SECTION 11: Toxicological information		

11.1. Information on toxicological effects

Brakes Essentials Washing Up Liquid

Toxicological effects	Information given is based on data of the components and of similar products.	
<u>Acute toxicity - oral</u> Notes (oral LD∞)	Based on available data the classification criteria are not met.	
<u>Acute toxicity - dermal</u> Notes (dermal LD₅₀)	Calculation method. Based on available data the classification criteria are not met.	
Acute toxicity - inhalation Notes (inhalation LC_{50})	Based on available data the classification criteria are not met.	
Skin corrosion/irritation Skin corrosion/irritation	Based on available data the classification criteria are not met.	
Serious eye damage/irritation Serious eye damage/irritation		
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity Genotoxicity - in vitro	Does not contain any substances known to be mutagenic.	
Carcinogenicity Carcinogenicity	Does not contain any substances known to be carcinogenic.	
Reproductive toxicity Reproductive toxicity - fertility	Does not contain any substances known to be toxic to reproduction.	
Specific target organ toxicity -	single exposure	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicity -	repeated exposure	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
General information	This product has low toxicity.	
Inhalation	Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at ambient temperature.	
Ingestion	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.	
Skin contact	Skin irritation should not occur when used as recommended. Prolonged or repeated exposure may cause the following adverse effects: Irritation. Redness. Dryness and/or cracking. Mild dermatitis, allergic skin rash.	
Eye contact	Irritating to eyes. May cause serious eye damage. Severe irritation, burning, tearing and blurred vision. Corneal damage.	
Toxicological information on ingredients.		

C12-14-ALKYL ETHER SULFATES

Acute toxicity - oral

	Acute toxicity oral (LD₅₀ mg/kg)	4,100.0	
	Species	Rat	
	ATE oral (mg/kg)	4,100.0	
	Acute toxicity - dermal		
	Acute toxicity dermal (LD₅ mg/kg)	2 ,001.0	
	Species	Rat	
	ATE dermal (mg/kg)	2,001.0	
SECTION 1	2: Ecological information		
Ecotoxicity	Harmfu	to aquatic life with long lasting effects.	
, 12.1. Toxicit			
Toxicity	<u> </u>	duct contains a substance which is harmful to aquatic organisms.	
-	nformation on ingredients.		
0		C12-14-ALKYL ETHER SULFATES	
	Acute aquatic toxicity		
	Acute toxicity - fish	LC₅₀, 96 hours: 7.1 mg/l, Brachydanio rerio (Zebra Fish) REACH dossier information.	
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 7.2 mg/l, Daphnia magna REACH dossier information.	
	Chronic aquatic toxicity		
	Chronic toxicity - fish early life stage	NOEC, 28 days: 0.14 mg/l, Oncorhynchus mykiss (Rainbow trout) REACH dossier information.	
	Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 0.27 mg/l, Daphnia magna REACH dossier information.	
12.2. Persis	tence and degradability		
Persistence	• •	factant(s) contained in this product complies(comply) with the biodegradability criteria down in The Detergents Regulations (as amended).	
Ecological in	nformation on ingredients.		
		C12-14-ALKYL ETHER SULFATES	
	Biodegradation	Expected to be readily biodegradable. Water - Degradation 100%: 28 days REACH dossier information.	
12.3. Bioaccumulative potential			
Bioaccumula	ative potential No data	available on bioaccumulation.	
Partition coe	officient Not app	licable.	
Ecological information on ingredients.			

C12-14-ALKYL ETHER SULFATES

E	Bioaccumulative potential	The product is not bioaccumulating.		
	Partition coefficient	log Pow: ~ 0.3 REACH dossier information.		
12.4. Mobility				
Mobility		duct is water-soluble and may spread in water systems.		
-	ormation on ingredients.			
		C12-14-ALKYL ETHER SULFATES		
Ν	Mobility	The product is soluble in water.		
	Adsorption/desorption coefficient	- Log Koc: 0.34 @ °F		
12.5. Results	of PBT and vPvB assessm	nent		
Results of PB assessment	T and vPvB This pro	duct does not contain any substances classified as PBT or vPvB.		
Ecological info	ormation on ingredients.			
C12-14-ALKYL ETHER SULFATES				
-	Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current UK criteria.		
12.6. Other ac	lverse effects			
Other adverse	effects None kn	iown.		
SECTION 13:	Disposal considerations			
13.1. Waste tr	eatment methods			
General inform	nation Do not d	discharge into drains or watercourses or onto the ground.		
Disposal meth	local Wa	of waste to licensed waste disposal site in accordance with the requirements of the aste Disposal Authority. Normal use solutions are expected to be flushed to sewers. For recycle products wherever possible.		
SECTION 14:	Transport information			
General		duct is not covered by international regulations on the transport of dangerous goods IATA, ADR/RID).		
14.1. UN num	ber			
Not applicable				
14.2. UN prop	er shipping name			
Not applicable				
14.3. Transpo	rt hazard class(es)			
	varning sign required.			
14.4. Packing	group			
Not applicable				
145 Ender	montal hazarda			

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

National regulations	The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as
	amended).
	EH40/2005 Workplace exposure limits. The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 (SI 2020 No. 1577) (as
	amended).
	The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 696) (as amended).
	The Detergents Regulations 2010 (SI 2010 No. 740) (as amended). The Detergents
	(Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 612) (as amended). The Detergents (Safeguarding) (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 671) (as amended). The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment
	Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
I	No. 7 Toj.
EU legislation	
	European Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (as amended) European Regulation (EC) No 1907/2006 - Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended) European Regulation (EC) No 648/2004 on detergents (as amended) European Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products (BPR) as amended
Guidance	Workplace Exposure Limits EH40. COSHH Essentials. ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets. Technical Guidance WM2: Hazardous Waste.

15.2. Chemical safety assessment

No information available.

Abbreviations and acronyms used in the safety data sheet	 DNEL: Derived No Effect Level. PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision. Note: Finished product SDS take their revision history from the parent bulk liquid SDS. The revision data will show that of the parent liquid. Revised classification.
Revision date	02/11/2022
Revision	6
Supersedes date	14/02/2022
SDS number	23143
Risk phrases in full	Not classified. R21/22 Harmful in contact with skin and if swallowed. R22 Harmful if swallowed. R37/38 Irritating to respiratory system and skin. R38 Irritating to skin. R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms.
Hazard statements in full	 H290 May be corrosive to metals. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.