

SAFETY DATA SHEET

Brakes Essentials Rinse Aid

Compiled in Accordance with EU and GB REACH and CLP Regulations.

SECTION 1: Identification of th	e substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Brakes Essentials Rinse Aid
Product number	800-232-0013
Container size	5 litres
1.2. Relevant identified uses of	f the substance or mixture and uses advised against
Identified uses	Detergent. Dishwash final rinse additive.
Uses advised against	DO NOT use for hand dishwashing. Not for Oral Consumption. Use only for intended applications.
1.3. Details of the supplier of the	ne safety data sheet
Supplier	Sysco GB, a trading name of Brake Bros Ltd, Ashford, Kent, TN25 4AG Sysco Foods Ireland UC, Ardagh Road, Newcastle West, Limerick, Ireland UK: +44 (0)345 606 9090, Ireland: +353 (0)69 20200 www.brake.co.uk
Contact person	For content of safety data sheet:, customer-service@sysco.com
1.4. Emergency telephone nun	nber
Emergency telephone	+44 (0)345 606 9090 (Sysco GB) +353 (0)69 20200 (Sysco Foods Ireland UC)
National emergency telephone number	In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 Ireland: For information or to report a poisoning incident contact The National Poisons Information Centre (01 8092166)
SECTION 2: Hazards identification	ition
2.1. Classification of the substa	ance or mixture
Classification (SI 2019 No. 720	<u>))</u>
Physical hazards	Not Classified
Lia alth hawarda	Net Olessified

•	
Health hazards	Not Classified
Environmental hazards	Not Classified
2.2. Label elements	
Hazard statements	NC Not Classified

Precautionary statements	P102 Keep out of reach of children. P264 Wash hands thoroughly after handling. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention. P501 Dispose of contents/ container in accordance with local regulations.
Detergent labelling	< 5% aliphatic hydrocarbons, < 5% non-ionic surfactants, Contains 2-Bromo-2-nitropropane-1, 3-diol

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients		
3.2. Mixtures		
ETHANOL		1-5%
CAS number: 64-17-5	EC number: 200-578-6	
Classification		
Flam. Liq. 2 - H225		
Eye Irrit. 2 - H319		
ACETIC ACID		<1%
		-170
CAS number: 64-19-7	EC number: 200-580-7	
Classification		
Flam. Liq. 3 - H226		
Skin Corr. 1A - H314		
Eye Dam. 1 - H318		
METHANOL		<1%
CAS number: 67-56-1	EC number: 200-659-6	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Flam. Liq. 2 - H225	F;R11 T;R23/24/25,R39/23/24/25	
Acute Tox. 3 - H301		
Acute Tox. 3 - H311		
Acute Tox. 3 - H331		
STOT SE 1 - H370		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Brakes Essentials Rinse Aid

SECTION 4: First aid measures	3
--------------------------------------	---

4.1. Description of first aid me	
General information	Provide eyewash station.
Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin contact	Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.
4.2. Most important symptoms	and effects, both acute and delayed
General information	Provide eyewash station.
Inhalation	Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at ambient temperature.
Ingestion	Unlikely exposure route without abuse. Symptoms will include, Sickness, possible Irritation of GI Tract. A soapy taste may be reported.
Skin contact	Prolonged contact may cause redness, irritation and dry skin.
Eye contact	May cause eye irritation.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	No specific recommendations.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.
5.2. Special hazards arising from	om the substance or mixture
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.
5.3. Advice for firefighters	
Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	For personal protection, see Section 8. Treat the spilled material according to the instructions
	in the close we conting. Take says of floors and other symforms may because aligners.

r ersonar precautions	in the clean-up section. Take care as floors and other surfaces may become slippery.
For emergency responders	Wear self-contained breathing apparatus. Wear protective clothing, gloves, eye and face protection. Dilute with plenty of water. Do not allow uncontrolled discharge of product into the

environment. Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning upStop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers.
Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains,
sewers or watercourses.

6.4. Reference to other sections

Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health
	hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions	Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid breathing vapour/spray. Do not mix with other household chemical products. Do not mix with acid.
Advice on general occupational hygiene	Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling. Take off contaminated clothing and wash it before reuse. Use appropriate hand lotion to prevent defatting and cracking of skin.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautionsStore in tightly-closed, original container in a dry, cool and well-ventilated place. Store at room
temperature. Keep out of the reach of children. Keep away from heat, hot surfaces, sparks,
open flames and other ignition sources. No smoking.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

ACETIC ACID

Short-term exposure limit (15-minute): WEL 20 ppm 50 mg/m³ Long-term exposure limit (8-hour TWA): WEL 10 ppm 25 mg/m³

METHANOL

Long-term exposure limit (8-hour TWA): WEL 200 ppm 266 mg/m³ Short-term exposure limit (15-minute): WEL 250 ppm 333 mg/m³ Sk

WEL = Workplace Exposure Limit. Sk = Can be absorbed through the skin.

ACETIC ACID (CAS: 64-19-7)

DNEL

Workers - Inhalation; Long term local effects: 25 mg/m³ Workers - Inhalation; Short term local effects: 25 mg/m³ General population - Inhalation; Long term local effects: 25 mg/m³ General population - Inhalation; Short term local effects: 25 mg/m³

PNEC	 Fresh water; 3.058 mg/l marine water; 0.306 mg/l Intermittent release; 30.58 mg/l STP; 85 mg/l Sediment (Freshwater); 11.36 mg/kg Sediment (Marinewater); 1.136 mg/kg Soil; 0.47 mg/kg
	METHANOL (CAS: 67-56-1)
DNEL	Workers - Inhalation; Long term systemic effects: 130 mg/m ³ Workers - Inhalation; Long term local effects: 130 mg/m ³ Workers - Inhalation; Short term systemic effects: 130 mg/m ³ Workers - Inhalation; Short term local effects: 130 mg/m ³ Workers - Dermal; Long term systemic effects: 20 mg/kg/day Workers - Dermal; Short term systemic effects: 20 mg/kg/day General population - Inhalation; Long term systemic effects: 26 mg/m ³ General population - Inhalation; Short term systemic effects: 26 mg/m ³ General population - Inhalation; Long term local effects: 26 mg/m ³ General population - Inhalation; Short term local effects: 26 mg/m ³ General population - Inhalation; Short term local effects: 26 mg/m ³ General population - Dermal; Long term systemic effects: 4 mg/kg/day General population - Dermal; Short term systemic effects: 4 mg/kg/day General population - Oral; Long term systemic effects: 4 mg/kg/day
PNEC	Fresh water; 20.8 mg/l marine water; 2.08 mg/l STP; 100 mg/l Sediment (Freshwater); 77 mg/kg Sediment (Marinewater); 7.7 mg/kg Soil; 100 mg/kg BRONOPOL (INN) (CAS: 52-51-7)
DNEL	Workers - Inhalation; Long term systemic effects: 4.1 mg/m ³ Workers - Inhalation; Short term systemic effects: 12.3 mg/m ³ Workers - Inhalation; Long term local effects: 4.2 mg/m ³ Workers - Inhalation; Short term local effects: 4.2 mg/m ³ Workers - Dermal; Long term systemic effects: 2.3 mg/kg/day Workers - Dermal; Short term systemic effects: 7 mg/kg/day Workers - Dermal; Long term local effects: 0.013 mg/cm ² Workers - Dermal; Short term local effects: 0.013 mg/cm ² General population - Inhalation; Long term systemic effects: 1.2 mg/m ³ General population - Inhalation; Short term systemic effects: 1.3 mg/m ³ General population - Inhalation; Long term local effects: 1.3 mg/m ³ General population - Inhalation; Short term local effects: 1.4 mg/kg/day General population - Dermal; Long term systemic effects: 4.2 mg/kg/day General population - Dermal; Long term systemic effects: 4.2 mg/kg/day General population - Dermal; Short term systemic effects: 0.008 mg/cm ² General population - Dermal; Long term local effects: 0.008 mg/cm ² General population - Dermal; Long term local effects: 0.008 mg/cm ² General population - Dermal; Long term local effects: 0.008 mg/cm ² General population - Dermal; Short term local effects: 0.35 mg/kg/day General population - Oral; Long term systemic effects: 1.1 mg/kg/day

PNEC	 Fresh water; 0.01 mg/l marine water; 0.008 mg/l Intermittent release; 0.0025 mg/l STP; 0.43 mg/l Sediment (Freshwater); 0.041 mg/kg Sediment (Marinewater); 0.00328 mg/kg Soil; 0.5 mg/kg
8.2. Exposure controls	
Protective equipment	
Appropriate engineering controls	Provide adequate ventilation.
Personal protection	Data provided here is not a risk/COSHH assessment. It relates to the product as supplied and should be used in developing a risk/COSHH assessment.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment that provides appropriate eye and face protection should be worn.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). Neoprene. Nitrile rubber. Polyethylene. To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist degradation. A break through time of >60 minutes is suggested. Gloves should be inspected regularly for damage.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate hand lotion to prevent defatting and cracking of skin.
Hygiene measures	Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.
Respiratory protection	Respiratory protection not required.
Environmental exposure controls	Avoid releasing into the environment.
SECTION 9: Physical and che	emical properties
9.1. Information on basic phys	sical and chemical properties
Appearance	Liquid.
Colour	Blue.
Odour	Mild.
Odour threshold	Not applicable.
рН	pH (concentrated solution): >2.5

 Melting point
 Not applicable.

>60°C°C Closed cup.

Flash point

Evaporation rate	Not applicable.
Evaporation factor	Not applicable.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.
Other flammability	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	1.010 typically @ @20°C
Bulk density	Not applicable.
Solubility(ies)	Soluble in water.
Partition coefficient	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	No information available.
Explosive properties	Not applicable
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Not applicable.
Comments	Information given is applicable to the product as supplied.
9.2. Other information	
Other information	Not relevant.
SECTION 10: Stability and rea	Inctivity
10.1. Reactivity	
Reactivity	Under normal storage conditions this product is stable.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	Not applicable.
10.4. Conditions to avoid	
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decompositio	on products
Hazardous decomposition products	No known hazardous decomposition products.

Brakes Essentials Rinse Aid

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Toxicological effects	Information given is based on data of the components and of similar products.	
Acute toxicity - oral		
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.	
ATE oral (mg/kg)	47,619.05	
Acute toxicity - dermal Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.	
ATE dermal (mg/kg)	104,761.9	
Acute toxicity - inhalation Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.	
ATE inhalation (vapours mg/l)	1,047.62	
ATE inhalation (dusts/mists mg/l)	142.86	
Skin corrosion/irritation Skin corrosion/irritation	Not classified. Based on available data the classification criteria are not met.	
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met. Calculation method.	
Respiratory sensitisation Respiratory sensitisation	Not classified. Based on available data the classification criteria are not met.	
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity Genotoxicity - in vitro	Does not contain any substances known to be mutagenic.	
Carcinogenicity Carcinogenicity	Does not contain any substances known to be carcinogenic.	
Reproductive toxicity Reproductive toxicity - fertility	Does not contain any substances known to be toxic to reproduction.	
Specific target organ toxicity -		
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicity - STOT - repeated exposure	repeated exposure Not classified as a specific target organ toxicant after repeated exposure.	
OTOT - Tepealeu dypusuid	אסי טומסטווכע מס מ סףכטווט נמושבי טושמון נטאוטמווג מונכו דבףכמובע פאףטסטופ.	
General information	This product has low toxicity.	
Inhalation	Considered to be a low inhalation hazard at normal workplace temperatures.	
Ingestion	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.	
Skin contact	Skin irritation should not occur when used as recommended. Prolonged or repeated exposure may cause the following adverse effects: Irritation. Redness. Dryness and/or cracking. Mild dermatitis, allergic skin rash.	
	0/44	

Brakes Essentials Rinse Aid

Eye contact	May be slightly irritating to eyes. Irritation of eyes and mucous membranes.	
11.2 Information on other hazards		
11.2.1. Endocrine disrupting properties		
11.2.2 Other information		
SECTION 12: Ecological inform	nation	
Ecotoxicity	There are no data on the ecotoxicity of this product. Not regarded as dangerous for the environment.	
12.1. Toxicity		
Toxicity	Not considered toxic to fish.	
12.2. Persistence and degradability		
Persistence and degradability	The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended).	
12.3. Bioaccumulative potential		
Bioaccumulative potential	No data available on bioaccumulation.	
Partition coefficient	Not applicable.	
12.4. Mobility in soil		
Mobility	The product is water-soluble and may spread in water systems.	
12.5. Results of PBT and vPvE	3 assessment	
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Endocrine disrupting properties		
Endocrine disrupting properties		
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal consid	erations	
13.1. Waste treatment method	<u>is</u>	
General information	Do not discharge into drains or watercourses or onto the ground.	
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Normal use solutions are expected to be flushed to sewers. Reuse or recycle products wherever possible.	
SECTION 14: Transport information		
General	The product is not covered by international regulations on the transport of dangerous goods	

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).
	EH40/2005 Workplace exposure limits.
	The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment
	Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (as amended).
	The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).
	The Detergents Regulations 2010 (SI 2010 No. 740) (as amended). The Detergents
	(Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 612) (as amended). The Detergents
	(Safeguarding) (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 671) (as amended).
	The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 696) (as amended).
	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 (SI 2020 No. 1577) (as amended).
EU legislation	

European Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (as amended)

Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) 1907/2006, System of specific information relating to Dangerous Preparations. 2001/58/EC.

Guidance	Workplace Exposure Limits EH40.
	ECHA Guidance on the Application of the CLP Criteria.
	ECHA Guidance on the compilation of safety data sheets.
	COSHH Essentials.
	Technical Guidance WM2: Hazardous Waste.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	 DNEL: Derived No Effect Level. PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision. Note: Finished product SDS take their revision history from the parent bulk liquid SDS. The revision data will show that of the parent liquid. Revised formulation.
Revision date	02/11/2022
Revision	8
Supersedes date	31/05/2022
SDS number	23142
Risk phrases in full	Not classified. R11 Highly flammable. R22 Harmful if swallowed. R36 Irritating to eyes. R41 Risk of serious damage to eyes. R67 Vapours may cause drowsiness and dizziness.
Hazard statements in full	 H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H301 Toxic if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H370 Causes damage to organs .

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.