

Mr Muscle[®] Aerosol Oven Cleaner

Version 3.0 Revision Date 17.07.2020 Print Date 10.11.2020 Specification Number: 35000008112 SITE FORM Number: 300000000000000007098.004

SECTION 1: IDENTIFICATION OF THE SU	BSTA	ANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1 Product identifier	:	Mr Muscle [®] Aerosol Oven Cleaner UFI: CFFQ-C0GV-200X-PDF7
1.2 Relevant identified uses of the	e suk	ostance or mixture and uses advised against
Use of the Substance/Mixture	:	Washing and cleaning products (including solvent based products)
Uses advised against	:	None known.
1.3 Details of the supplier of the safety data sheet	:	SC Johnson Ltd. Frimley Green Camberley
		GU16 7AJ
Telephone	:	+441276852000
E-mail address	:	ask.uk@scj.com
1.4 Emergency telephone number	:	Consumer Care Center: UK - 0800 353 353 Ireland- 1800 409 176 Poison Centre: Ireland - (01)809 2166 Available 8.00 a.m. to 10.00 p.m. 7 days a week

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Hazard classification	Hazard category	Hazards identification
Aerosol	Category 3	Pressurised container: May burst if
		heated.
Skin corrosion	Category 1C	Causes severe skin burns and eye
		damage.
Serious eye damage	Category 1	Causes serious eye damage.



Version 3.0 Revision Date 17.07.2020 Print Date 10.11.2020 Specification Number: 35000008112 SITE FORM Number: 300000000000000007098.004

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP) Hazard symbols



Signal word Danger

Contains caustic soda

Hazard statements

(H229) Pressurised container: May burst if heated. (H314) Causes severe skin burns and eye damage.

Precautionary statements

(P101) If medical advice is needed, have product container or label at hand.
(P102) Keep out of reach of children.
(P310) Immediately call a POISON CENTER/doctor.
(P305 + P351 + P338) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
(P301 + P330 + P331) IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
(P303 + P361 + P353) IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
(P304 + P340) IF INHALED: Remove person to fresh air and keep comfortable for breathing.
(P405) Store locked up.
(P410 + P412) Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
(P501) Dispose of contents /container in accordance with local regulations.
(P210) Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
(P251) Do not pierce or burn, even after use.
(P260) Do not breathe spray.



Version 3.0 Revision Date 17.07.2020 Print Date 10.11.2020 Specification Number: 35000008112 SITE FORM Number: 300000000000000007098.004

(P280) Wear protective gloves / eye protection.

Additional Labelling Use only in well-ventilated areas. Use only as directed. 4% By mass of contents are flammable.

Detergents regulations	:	Contains < = 5% aliphatic hydrocarbons, Polycarboxylates, Anionic surfactants, perfume , Limonene
2.3 Other hazards	:	Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal. Excessive exposure to spray mist, fog or vapour may cause respiratory irritation.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Chemical name	CAS-No./EC No	Reg. No		Weight percent
caustic soda	1310-73-2 215-185-5	01-2119982981-22	Skin corrosion Category 1A H314 Serious eye damage Category 1 H318	>= 1.00 - < 5.00



Mr Muscle® Aerosol Oven Cleaner

Version 3.0 Revision Date 17.07.2020 Print Date 10.11.2020 Specification Number: 35000008112 SITE FORM Number: 300000000000000007098.004

WFL substance		

butane	106-97-8	01-2119474691-32	Flammable gases	>= 0.00 - <
	203-448-7		Category 1 H220 Gases under pressure	0.10
			H280	

Additional Information

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures	
Inhalation	: Move to fresh air. If breathing is affected, get medical attention.
Skin contact	 Take off all contaminated clothing immediately. Immediately flush skin with large amounts of water. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.
Eye contact	 Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. Flush immediately with plenty of water for at least 15 to 20 minutes.
Ingestion	 Do NOT induce vomiting. Rinse mouth with water. Get medical attention immediately. Never give anything by mouth to an unconscious person.
	4/16



Mr Muscle® Aerosol Oven Cleaner

Version 3.0 Revision Date 17.07.2020 Print Date 10.11.2020 Specification Number: 35000008112 SITE FORM Number: 300000000000000007098.004

4.2 Most important symptoms and effects, both acute and delayed

Eyes	: Causes serious eye damage. No adverse effects expected when used as directed.
Skin effect	: Causes severe skin burns.
	No adverse effects expected when used as directed.
Inhalation	: Intentional misuse by deliberately concentrating and inhaling contents can
	be harmful or fatal.
	May cause respiratory tract irritation.
	No adverse effects expected when used as directed.
Ingestion	: Causes digestive tract burns.

4.3 Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media		
Suitable	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable	:	None identified
5.2 Special hazards arising from the substance or mixture	:	Heating may cause an explosion. In case of fire and/or explosion do not breathe fumes. Exposure to decomposition products may be a hazard to health.
5.3 Advice for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Wear suitable protective clothing and gloves.
		5/16



Version 3.0 Revision Date 17.07.2020 Print Date 10.11.2020 Specification Number: 35000008112 SITE FORM Number: 300000000000000007098.004

Refer to current EN or National standard as appropriate.

TION 6: ACCIDENTAL RELEASE MEAS	URES
6.1 Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Remove all sources of ignition.
6.2 Environmental precautions	 Outside of normal use, avoid release to the environment. Prevent large amounts of product from entering drains. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities. Use appropriate containment to avoid environmental contamination.
6.3 Methods and materials for containment and cleaning up	 If damage occurs to aerosol can: Clean residue from spill site. Dike large spills. Use only non-sparking equipment.
6.4 Reference to other sections	: For personal protection see section 8. For disposal considerations see section 13.
TION 7: HANDLING AND STORAGE	
7.1 Precautions for safe handling	 For personal protection see section 8. Do not breathe vapours or spray mist. Avoid contact with skin and eyes. Smoking, eating and drinking should be prohibited in the application area. Wear personal protective equipment. Do not use in areas without adequate ventilation. Do not puncture. Do not spray on a naked flame or any incandescent material.



Mr Muscle[®] Aerosol Oven Cleaner

Version 3.0 Revision Date 17.07.2020 Print Date 10.11.2020 Specification Number: 35000008112 SITE FORM Number: 300000000000000007098.004

7.2 Conditions for safe storage, including any incompatibilities	:	Do not freeze. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Keep out of the reach of children. Store away from food, beverages and pet food. No decomposition if stored and applied as directed.
7.3 Specific end use(s)	:	Consumer uses: Private households (= general public = consumers) Washing and cleaning products (including solvent based products)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limit Values

Components	CAS-No.	mg/m3	ppm	Form of exposure	List
caustic soda	1310-73-2	2 mg/m3			UK_WELSTEL
butane	106-97-8	1,810	750 ppm		UK_WELSTEL
		mg/m3			
		1,450	600 ppm		UK_WELTWAS
		mg/m3			

Refer to current EN or National standard as appropriate.

8.2 Exposure controls

Respiratory protection	:	In the case of dust or aerosol formation use respirator with an approved filter.
Hand protection	:	Wear suitable gloves. Nitrile gloves – Thickness 0.12mm; Breakthrough time >2 hours. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Before removing gloves clean them with soap and water.
Eye/face protection	:	Safety glasses



Mr Muscle® Aerosol Oven Cleaner

Version 3.0 Revision Date 17.07.2020 Print Date 10.11.2020 Specification Number: 35000008112 SITE FORM Number: 300000000000000007098.004

Skin and body protection	:	Wash contaminated clothing before re-use.
Other information	:	Wash hands before breaks and at the end of workday.
Environmental Exposure Controls	:	Refer to section 6.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and	9.1 Information on basic physical and chemical properties							
Appearance	:	aerosol						
Colour	:	white						
Odour	:	Functional						
Odour Threshold	:	Test not applicable for this product type						
рН	:	14						
Melting point/freezing point	:	Test not applicable for this product type						
Initial boiling point and boiling range	:	Test not applicable for this product type						
Flash point	:	< 0 °C						
Evaporation rate	:	Test not applicable for this product type						
Flammability (solid, gas)	:	Sustains combustion						
Upper/lower flammability or explosive limits	:	Test not applicable for this product type						
Vapour pressure	:	Test not applicable for this product type						
Vapour density	:	Test not applicable for this product type						



Mr Muscle[®] Aerosol Oven Cleaner

Version 3.0 Revision Date 17.07.2020 Print Date 10.11.2020 Specification Number: 35000008112 SITE FORM Number: 300000000000000007098.004

Relative density	: Test not applicable for this product type	
Solubility(ies)	: Test not applicable for this product type	
Partition coefficient: n- octanol/water	: Test not applicable for this product type	
Auto-ignition temperature	: does not ignite	
Decomposition temperature	: Test not applicable for this product type	
Viscosity, dynamic	: Test not applicable for this product type	
Viscosity, kinematic	: Test not applicable for this product type	
Explosive properties	: Test not applicable for this product type	
Oxidizing properties	: Test not applicable for this product type	
9.2 Other information		
Other information	: None identified	:

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	: No dangerous reaction known under conditions of normal use.
10.2 Chemical stability	: Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	: None known.
10.4 Conditions to avoid	: Extremes of temperature and direct sunlight.
10.5 Incompatible materials	: Do not mix with acids or any other household products. May release dangerous gases (chlorine).
	9/16



Version 3.0 Revision Date 17.07.2020 Print Date 10.11.2020 Specification Number: 35000008112 SITE FORM Number: 300000000000000007098.004

10.6 Hazardous decomposition : No decomposition if stored and applied as directed. **products**

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity

Name	Method	Species	Dose
Product	LD50		> 2,000 mg/kg
	Calculated		

Acute inhalation toxicity

Name	Method	Species	Dose	Exposure time
Product	LC50 (dust and		> 5 mg/l	
	mist)			
	Calculated			

Acute dermal toxicity

Name	Method	Species	Dose
Product	LD50 Calculated		> 2,000 mg/kg

Acute oral toxicity

Name	Method	Species	Dose
caustic soda	LD50 Measured	Rat	325 mg/kg

Acute inhalation toxicity



Version 3.0 Revision Date 17.07.2020 Print Date 10.11.2020 Specification Number: 35000008112 SITE FORM Number: 300000000000000007098.004

Name	Method	Species	Dose	Exposure time
caustic soda	No data available			

Acute dermal toxicity

Name		Method	Species	Dose
caustic soda		LD50	Rabbit	1,350 mg/kg
Skin corrosion/irritation	:	Causes severe skin burns.	Corrositex	
Serious eye damage/eye irritation	:	Causes serious eye damag	je.	
Skin sensitisation	:	Based on available data, th	ne classification criteria are	not met.
Germ cell mutagenicity	:	Based on available data, th	ne classification criteria are	not met.
Carcinogenicity	:	Based on available data, t	the classification criteria are	not met.
Toxicity for reproduction	:	Based on available data, t	the classification criteria are	not met.
STOT - single exposure	:	Based on available data, t	the classification criteria are	not met.
STOT - repeated exposure	:	Based on available data, t	he classification criteria are	not met.
Aspiration hazard	:	Based on available data, t	he classification criteria are	not met.

SECTION 12: ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

12.1 Toxicity

Toxicity to fish



Version 3.0 Revision Date 17.07.2020 Print Date 10.11.2020 Specification Number: 35000008112 SITE FORM Number: 300000000000000007098.004

Components	End point	Species	Value	Exposure time
caustic soda	LC50	Fish	35 - 189 mg/l	96 h
butane	LC50 QSAR	Fish	27.98 mg/l	96 h

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
caustic soda	EC50	Daphnia magna (Water flea)	40.4 mg/l	48 h
butane	EC50 QSAR	Daphnid	14.22 mg/l	48 h

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
caustic soda	No data available			
butane	EC50 QSAR	Green algae	7.71 mg/l	96 h

12.2 Persistence and degradability



Version 3.0 Revision Date 17.07.2020 Print Date 10.11.2020 Specification Number: 35000008112 SITE FORM Number: 300000000000000007098.004

Component	Biodegradation	Exposure time	Summary
caustic soda	No data available		
butane	100 %	385.5 h	Readily biodegradable.

12.3 Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
caustic soda	0.89 estimated	-1.38
butane	No data available	2.89

12.4 Mobility in soil

Component	End point	Value
caustic soda	No data available	
butane	No data available	

12.5 Results of PBT and vPvB assessment

Component	Results
caustic soda	Not fulfilling PBT and vPvB criteria
butane	Not fulfilling PBT and vPvB criteria

12.6 Other adverse effects : None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.

13/16



Version 3.0 Revision Date 17.07.2020

Print Date 10.11.2020 Specification Number: 35000008112 SITE FORM Number: 300000000000000007098.004

Do not contaminate ponds, waterways or ditches with chemical or used container. Disposal should be in accordance with local, state or national legislation. Please recycle empty packaging.

Packaging

Do not re-use empty containers.

:

SECTION 14: TRANSPORT INFORMATION

	Land transport	Sea transport	Air transport
14.1 UN number	1950	1950	1950
14.2 UN proper shipping name	AEROSOLS, Corrosive, 2.2 (8)	AEROSOLS, Corrosive, 2.2 (8)	AEROSOLS, Corrosive, 2.2 (8)
14.3 Transport hazard class(es)	2	2	2.2
14.4 Packing group			
14.5 Environmental			
hazards			
14.6 Special precautions for user	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Product not transported as bulk.	Product not transported as bulk.	Product not transported as bulk.

SECTION 15: REGULATORY INFORMATION

:

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Mr Muscle® Aerosol Oven Cleaner

Version 3.0 Revision Date 17.07.2020 Print Date 10.11.2020 Specification Number: 35000008112 SITE FORM Number: 300000000000000007098.004

15.2 Chemical safety assessment : Not required for consumer products.

SECTION 16: OTHER INFORMATION

If applicable, revision(s) are noted by the bold bars || in left-hand margin.

Key abbreviations or acronyms used

EC - European Community

- EEC European Economic Community
- CLP Classification Labelling & Packaging
- EN European Standard or European Norm
- PBT Persistent, Bioaccumulative & Toxic
- vPvB very persistent, very bioaccumulative
- UN United Nations

Evaluation methods

Unless otherwise stated in section 11, the procedure used to derive the human health classification is the relevant calculation method according to CLP regulation (EC) No 1272/2008 as amended.

Unless otherwise stated in section 12, the procedure used to derive the environmental classification is the summation of the classified components method according to CLP regulation (EC) No 1272/2008 as amended.

Full text of H-Statements

H220	Extremely flammable gas.
H280	Contains gas under pressure; may explode if heated.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.



Version 3.0 Revision Date 17.07.2020 Print Date 10.11.2020 Specification Number: 35000008112 SITE FORM Number: 300000000000000007098.004

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.