

# Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Product name	:	Kristalin Bio
Product code	:	110841E
Use of the Substance/Mixture	:	Sanitary cleaner
Substance type:	:	Mixture
		For professional users only.
Product dilution information	:	10.0 %

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Sanitary cleaner. Manual process
Recommended restrictions on use	:	Reserved for industrial and professional use.

#### 1.3 Details of the supplier of the safety data sheet

Company	: Ecolab Ltd. PO Box 11; Winnington Avenue Northwich, Cheshire, United Kingdom CW8 4DX + 44 (0)1606 74488
	ccs@ecolab.com

#### 1.4 Emergency telephone number

Emergency telephone	:	+441618841235
number		+32-(0)3-575-5555 Trans-European

Date of Compilation/Revision	:	23.01.2019
Version	:	1.2

#### Section: 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

**Product AS SOLD** Eye irritation, Category 2

H319

#### Product AT USE DILUTION

Not a hazardous substance or mixture.

#### 2.2 Label elements

Labelling (REGULATION (E Product AS SOLD Hazard pictograms	C) No 1272/2008)	
Signal Word	: Warning	
Hazard Statements	: H319	Causes serious eye irritation.
Precautionary Statements	: <b>Prevention:</b> P280e	Wear eye protection/face protection.

# Product AT USE DILUTION

Not a hazardous substance or mixture.

# Additional Labelling:

Product AS SOLD	
Special labelling of certain	: Contains: 1,2-benzisothiazol-3(2H)-one, solvents /additives,
mixtures	Eugenol, May produce an allergic reaction.

#### 2.3 Other hazards

Product AS SOLD

#### None known.

# Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

#### Product AS SOLD Hazardous components

Chemical Name	CAS-No.	Classification	Concentration:
	EC-No. REACH No.	REGULATION (EC) No 1272/2008	[%]
Alcohols, C6-12, ethoxylated	68439-45-2	Skin irritation Category 2; H315 Serious eye damage Category 1; H318	>= 1 - < 2.5
2-butoxyethanol	111-76-2 203-905-0 01-2119475108-36	Acute toxicity Category 4; H302 Acute toxicity Category 4; H332 Acute toxicity Category 4; H312 Skin irritation Category 2; H315 Eye irritation Category 2; H319	>= 1 - < 2.5
sodium dodecylbenzene sulfonate	25155-30-0 246-680-4 01-2120088038-51	Acute toxicity Category 4; H302 Skin irritation Category 2; H315 Serious eye damage Category 1; H318	>= 1 - < 2.5
solvents /additives	8006-64-2 232-350-7 01-2119502456-45	Flammable liquids Category 3; H226 Acute toxicity Category 4; H302 Acute toxicity Category 4; H332 Acute toxicity Category 4; H312 Skin irritation Category 2; H315 Eye irritation Category 2; H319 Skin sensitization Category 1; H317 Aspiration hazard Category 1; H304 Chronic aquatic toxicity Category 2; H411	>= 0.1 - < 0.25

Eugenol	97-53-0 202-589-1 01-2119971802-33	Skin corrosion/irritation Category 2; H315 Eye irritation Category 2; H319 Skin sensitization Category 1; H317	>= 0.1 - < 0.25
1,2-benzisothiazol-3(2H)- one	2634-33-5 220-120-9 01-2120761540-60	Acute toxicity Category 4; H302 Skin irritation Category 2; H315 Serious eye damage Category 1; H318 Skin sensitization Category 1; H317 Acute aquatic toxicity Category 1; H400	< 0.05

#### Product AT USE DILUTION Hazardous components

Chemical Name	CAS-No.	Classification	Concentration:
	EC-No.	REGULATION (EC) No 1272/2008	[%]
	REACH No.	· · ·	
Substances with a workp	lace exposure limit :		
2-butoxyethanol	111-76-2	Acute toxicityCategory 4; H302	>= 0.1 - < 0.25
	203-905-0	Acute toxicityCategory 4; H332	
	01-2119475108-36	Acute toxicityCategory 4; H312	
		Skin irritationCategory 2; H315	
		Eye irritationCategory 2; H319	
For the full text of the H-Statements mentioned in this Section, see Section 16.			
		in this Section, see Section 16.	
tion: 4. FIRST AID MEA	SURES		

## 4.1 Description of first aid measures

#### Product AS SOLD

In case of eye contact	Rinse immediately with plenty of water, also under the eye at least 15 minutes. Remove contact lenses, if present and to do. Continue rinsing. Get medical attention.	
In case of skin contact	Rinse with plenty of water.	
If swallowed	Rinse mouth. Get medical attention if symptoms occur.	
If inhaled	Get medical attention if symptoms occur.	

#### Product AT USE DILUTION In case of eye contact : Rinse

In case of eye contact	: Rinse with plenty of water.
In case of skin contact	: Rinse with plenty of water.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.

#### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

# 4.3 Indication of immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

# Section: 5. FIREFIGHTING MEASURES

#### **Product AS SOLD**

#### 5.1 Extinguishing media

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.					
Unsuitable extinguishing media	: None known.					
5.2 Special hazards arising from	pecial hazards arising from the substance or mixture					

Specific hazards during firefighting	: Not flammable or combustible.
Hazardous combustion products	<ul> <li>Depending on combustion properties, decomposition products may include following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus</li> </ul>

#### 5.3 Advice for firefighters

Special protective equipment for firefighters	:	Use personal protective equipment.
Further information	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

## Section: 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

	Product AS SOLD Advice for non-emergency personnel	:	Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
	Advice for emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.
	Product AT USE DILUTION		
	Advice for non-emergency personnel	:	Refer to protective measures listed in sections 7 and 8.
	Advice for emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.
6.2	Environmental precautions		
	Product AS SOLD		
	Environmental precautions	:	Do not allow contact with soil, surface or ground water.
	Product AT USE DILUTION		

Environmental precautions

: No special environmental precautions required.

#### 6.3 Methods and materials for containment and cleaning up

Product AS SOLD Methods for cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.
Product AT USE DILUTION Methods for cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### 6.4 Reference to other sections

See Section 1 for emergency contact information. For personal protection see section 8. See Section 13 for additional waste treatment information.

# Section: 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Product	AS :	SOLD
---------	------	------

Advice on safe handling	: Avoid contact with skin and eyes. Use only with adequate ventilation. Wash hands thoroughly after handling.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.
Product AT USE DILUTION	
Advice on safe handling	: Wash hands after handling. For personal protection see section 8.
Hygiene measures	: Wash hands before breaks and immediately after handling the product.

#### 7.2 Conditions for safe storage, including any incompatibilities

Product AS SOLD

Requirements for storage areas and containers	:	Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
Storage temperature	:	5 °C to 45 °C

Product AT USE DILUTION	
Requirements for storage reas and containers	Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

#### 7.3 Specific end uses

#### Product AS SOLD

# Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

#### Product AS SOLD

#### **Occupational Exposure Limits**

Components	CAS-N	0.	Value type (Form of exposure)	Control parameters	Basis
2-butoxyethanol	111-76	-2	TWA	25 ppm	UKCOSSTD
Further information	Sk		e absorbed through skin. The assigned substances are those for whi are concerns that dermal absorption will lead to systemic toxicity.		
			STEL	50 ppm	UKCOSSTD
Further information	Sk			in. The assigned substances are al absorption will lead to system	
solvents /additives	8006-6	4-2	STEL	150 ppm 850 mg/m3	UKCOSSTD
			TWA	100 ppm 566 mg/m3	UKCOSSTD

#### **Biological occupational exposure limits**

Substance name	CAS-No.	Control parameters	Sampling time	Basis
	Proprietary Ingredient	butoxyacetic acid: 240 Millimoles per mole Creatinine (Urine)	After shift	GB EH40 BAT

#### DNEL

DNLL		
2-butoxyethanol	:	End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: 3.2 ppm

## PNEC

PNEC		
2-butoxyethanol	:	Fresh water
		Value: 8.8 mg/l
		Marine water
		Value: 0.88 mg/l
		Motor
		Water
		Value: 9.1 mg/l
		Fresh water sediment
		Value: 8.14 mg/kg
		Value. 0.14 mg/kg
		Water
		Value: 463 mg/l
		, i i i i i i i i i i i i i i i i i i i
		Soil
		Value: 2.8 mg/kg
		Value: 20 mg/kg
		Other conditions

# 8.2 Exposure controls

Product AS SOLD Appropriate engineering controls			
Engineering measures	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.	
Individual protection measur	res		
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.	
Eye/face protection (EN 166)	:	Safety glasses with side-shields	
Hand protection (EN 374)	:	No special protective equipment required.	
Skin and body protection (EN 14605)	:	No special protective equipment required.	
Respiratory protection (EN 143, 14387)	:	None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.	
Product AT USE DILUTION Appropriate engineering controls			
Engineering measures	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.	
Individual protection measured	res		
Hygiene measures	:	Wash hands before breaks and immediately after handling the product.	
Eye/face protection (EN 166)	:	No special protective equipment required.	
Hand protection (EN 374)	:	No special protective equipment required.	
Skin and body protection (EN 14605)	:	No special protective equipment required.	
Respiratory protection (EN 143, 14387)	:	None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods	

# Environmental exposure controls

or procedures of work organization.

General advice

: Consider the provision of containment around storage vessels.

## Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

		Product AS SOLD	Product AT USE DILUTION		
Appearance	:	liquid	liquid		
Colour	:	white	off-white		
Odour	:	citrus	citrus		
рН	:	7.0 - 9.0, 100 %	7.0 - 8.0		
Flash point	:	Not applicable., Does not sustain combustion.			
Odour Threshold	:	Not applicable and/or not determine	Not applicable and/or not determined for the mixture		
Melting point/freezing point	:	Not applicable and/or not determine	ined for the mixture		
Initial boiling point and boiling range	:	100 °C			
Evaporation rate	:	Not applicable and/or not determine	ined for the mixture		
Flammability (solid, gas)	:	Not applicable and/or not determine	ined for the mixture		
Upper explosion limit	:	Not applicable and/or not determine	ined for the mixture		
Lower explosion limit	:	Not applicable and/or not determined for the mixture			
Vapour pressure	:	Not applicable and/or not determined for the mixture			
Relative vapour density	:	Not applicable and/or not determined for the mixture			
Relative density	:	1.0 - 1.01			
Water solubility	:	soluble			
Solubility in other solvents	:	Not applicable and/or not determine	ined for the mixture		
Partition coefficient: n- octanol/water	:	Not applicable and/or not determine	ined for the mixture		
Auto-ignition temperature	:	Not applicable and/or not determine	ined for the mixture		
Thermal decomposition	:	Not applicable and/or not determine	ined for the mixture		
Viscosity, kinematic	:	Not applicable and/or not determine	ined for the mixture		
Explosive properties	:	Not applicable and/or not determine	ined for the mixture		
Oxidizing properties	:	The substance or mixture is not o	lassified as oxidizing.		

#### 9.2 Other information

Not applicable and/or not determined for the mixture

# Section: 10. STABILITY AND REACTIVITY

#### Product AS SOLD 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

#### 10.4 Conditions to avoid

None known.

#### 10.5 Incompatible materials

None known.

#### **10.6 Hazardous decomposition products**

Depending on combustion properties, decomposition products may include following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

#### Section: 11. TOXICOLOGICAL INFORMATION

#### **11.1 Information on toxicological effects**

<b>Product AS SOLD</b> Information on likely routes of exposure	:	Inhalation, Eye contact, Skin contact
Product		
Acute oral toxicity	:	Acute toxicity estimate : > 2,000 mg/kg
Acute inhalation toxicity	:	4 h Acute toxicity estimate : > 20 mg/l Test atmosphere: vapour
Acute dermal toxicity	:	Acute toxicity estimate : > 2,000 mg/kg
Skin corrosion/irritation	:	There is no data available for this product.
Serious eye damage/eye irritation	:	There is no data available for this product.
Respiratory or skin sensitization	:	There is no data available for this product.
Carcinogenicity	:	There is no data available for this product.
Reproductive effects	:	There is no data available for this product.
Germ cell mutagenicity	:	There is no data available for this product.
Teratogenicity	:	There is no data available for this product.
STOT - single exposure	:	There is no data available for this product.

STOT - repeated exposure	: There is no data available for this product.
Aspiration toxicity	: There is no data available for this product.
Components	
Acute oral toxicity	: Alcohols, C6-12, ethoxylated LD50 rat: 7,000 mg/kg
	2-butoxyethanol LD50 rat: 1,500 mg/kg
	sodium dodecylbenzene sulfonate LD50 rat: 1,086 mg/kg
	solvents /additives LD50 rat: 2,090 mg/kg
	1,2-benzisothiazol-3(2H)-one LD50 rat: 1,020 mg/kg
Components	
Acute inhalation toxicity	<ul> <li>solvents /additives</li> <li>4 h LC50 rat: 13.7 mg/l</li> <li>Test atmosphere: vapour</li> </ul>
Components	
Acute dermal toxicity	: Alcohols, C6-12, ethoxylated LD50 rabbit: > 2,000 mg/kg
Potential Health Effects	
Product AS SOLD	
Eyes	: Causes serious eye irritation.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use
Inhalation	: Health injuries are not known or expected under normal use
Chronic Exposure	: Health injuries are not known or expected under normal use
Product AT USE DILUTION	Legith injuries are not known as expected under normal use
Eyes	: Health injuries are not known or expected under normal use
Skin	: Health injuries are not known or expected under normal use
Ingestion	: Health injuries are not known or expected under normal use
Inhalation	: Health injuries are not known or expected under normal use
Chronic Exposure	: Health injuries are not known or expected under normal use

Product AS SOLD

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Eye contact	: Redness, Pain, Irritation
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.
Product AT USE DILUTION Eye contact	: No symptoms known or expected.
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

# Section: 12. ECOLOGICAL INFORMATION

#### Product AS SOLD 12.1 Ecotoxicity

Environmental Effects	: This product has no known ecotoxicological effects.
Product	
Toxicity to fish	: no data available
Toxicity to daphnia and other aquatic invertebrates	: no data available
Toxicity to algae	: no data available
Components	
Toxicity to fish	: Alcohols, C6-12, ethoxylated 96 h LC50 Fish: 1.5 mg/l
	2-butoxyethanol 96 h LC50: 1,474 mg/l
	sodium dodecylbenzene sulfonate 96 h LC50 Fish: 3.2 mg/l
	solvents /additives 96 h LC50 Fish: 19.9 mg/l
Components	
Toxicity to daphnia and other aquatic invertebrates	: 2-butoxyethanol 48 h EC50: 690 mg/l
	solvents /additives 48 h EC50 Daphnia magna (Water flea): 6.4 mg/l
	Eugenol 48 h EC50: 1.13 mg/l
Components	
Toxicity to algae	: 2-butoxyethanol 72 h EC50: 911 mg/l

solvents /additives 72 h EC50 Desmodesmus subspicatus (green algae): 17.1 mg/l

1,2-benzisothiazol-3(2H)-one 72 h EC50: 0.15 mg/l

#### 12.2 Persistence and degradability

Product	
Diadaaradability	

Biodegradability	<ul> <li>The surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC</li> </ul>
Components	
Biodegradability	: Alcohols, C6-12, ethoxylated Result: Readily biodegradable.
	2-butoxyethanol Result: Readily biodegradable.
	sodium dodecylbenzene sulfonate Result: Readily biodegradable.
	solvents /additives Result: Readily biodegradable.
	Eugenol Result: Readily biodegradable.
	1,2-benzisothiazol-3(2H)-one

Result: Not applicable - inorganic

#### 12.3 Bioaccumulative potential

no data available

#### 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

#### Product

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

no data available

#### Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste.Waste

codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

#### 13.1 Waste treatment methods

Product AS SOLD Product	Where possible recycling is preferred to disposal or incineration. recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.	lf
Contaminated packaging	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local state, and federal regulations.	
Guidance for Waste Code selection	Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods is compliance with applicable European (EU Directive 2008/98/EC) and local regulations.	l t n
Product AT USE DILUTION Product	Diluted product can be flushed to sanitary sewer.	
Contaminated packaging	Dispose of in accordance with local, state, and federal regulation	s.

#### Section: 14. TRANSPORT INFORMATION

#### **Product AS SOLD**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (ADR/ADN/RID)

14.1 UN number	: Not dangerous goods
14.2 UN proper shipping	: Not dangerous goods
name	
14.3 Transport hazard	: Not dangerous goods
class(es)	
14.4 Packing group	: Not dangerous goods
14.5 Environmental hazards	: Not dangerous goods
14.6 Special precautions for	: Not dangerous goods
user	

## Air transport (IATA)

Not dangerous goods
Not dangerous goods
Not dangerous goods
Not dangerous goods

14.5 Environmental hazards	: Not dangerous goods
14.6 Special precautions for	: Not dangerous goods
user	

## Sea transport (IMDG/IMO)

14.1 UN number	: Not dangerous goods	
14.2 UN proper shipping	: Not dangerous goods	
name		
14.3 Transport hazard	: Not dangerous goods	
class(es)		
14.4 Packing group	: Not dangerous goods	
14.5 Environmental hazards	: Not dangerous goods	
14.6 Special precautions for	: Not dangerous goods	
user		
14.7 Transport in bulk	: Not dangerous goods	
according to Annex II of		
MARPOL 73/78 and the IBC		
Code		

## Section: 15. REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Detergents Regulation EC 648/2004	:	less than 5 %: Anionic surfactants, Non-ionic surfactants, EDTA and salts thereof Other constituents: Perfumes Preservation agents: 1,2-benzisothiazol-3(2H)-one Allergens: Eugenol

# **National Regulations**

#### Take note of Dir 94/33/EC on the protection of young people at work.

Other regulations	: The Chemicals (Hazard Information and Packaging for Supply) Regulations. The Control of Substances Hazardous to Health Regulations. Health and Safety at Work Act
	Health and Safety at Work Act.

#### **15.2 Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out on the product.

Section: 16. OTHER INFORMATION	

# Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification
Eye irritation 2, H319	Calculation method

#### Full text of H-Statements

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR – European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM -American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL -Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number -European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS – Globally Harmonized System; GLP – Good Laboratory Practice; IARC – International Agency for Research on Cancer; IATA – International Air Transport Association; IBC – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 -Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL – International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD – Organization for Economic Co-operation and Development; OPPTS – Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI – Taiwan Chemical Substance Inventory; TRGS – Technical Rule for Hazardous Substances; TSCA – Toxic Substances Control Act (United States); UN – United Nations; vPvB – Very Persistent and Very Bioaccumulative

#### Further information

Prepared by

: Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Annex: Exposure Scenarios		

#### Exposure Scenario: Sanitary cleaner. Manual process

Life Cycle Stage	:	Widespread	d use by professional workers
Product category	:	PC35	Washing and cleaning products (including solvent based products)

#### Contributing scenario controlling environmental exposure for:

Environmental release category	:	ERC8a	Wide dispersive indoor use of processing aids in open systems
Daily amount per site	:	7.5 kg	
Type of Sewage Treatment Plant	:	Municipal s	ewage treatment plant

#### Contributing scenario controlling worker exposure for:

Process category	:	PROC10	Roller application or brushing	
Exposure duration	:	480 min		
Operational conditions and risk management measures	:	Indoor		
		Local Exhaust Ventilation is not required		
General ventilation		Ventilation	rate per hour	1
Skin Protection	:	No		
Respiratory Protection	:	No		

#### Contributing scenario controlling worker exposure for:

Process category	:	PROC8a	Transfer of substance or preparation (charg discharging) from/ to vessels/ large contained dedicated facilities	
Exposure duration	:	60 min		
Operational conditions and risk management measures	:	Indoor		
		Local Exhaust Ventilation is not required		
General ventilation		Ventilation	rate per hour	1
Skin Protection	:	Yes: See S	ection 8	

Respiratory Protection : No