

**Wash´n Walk****Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**

Product name : Wash´n Walk  
Product code : 111285E  
Use of the Substance/Mixture : Floor Cleaner  
Substance type: : Mixture

**For professional users only.**

Product dilution information : 1.0 % - 3.0 %

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Floor cleaner. Manual process  
Recommended restrictions on use : Reserved for industrial and professional use.

**1.3 Details of the supplier of the safety data sheet**

Company : Ecolab Ltd.  
PO Box 11; Winnington Avenue  
Northwich, Cheshire, United Kingdom CW8 4DX  
+ 44 (0)1606 74488  
ccs@ecolab.com

**1.4 Emergency telephone number**

Emergency telephone number : +441618841235  
+32-(0)3-575-5555 Trans-European

Date of Compilation/Revision : 09.05.2019

Version : 1.4

**Section: 2. HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)****Product AS SOLD**

Not a hazardous substance or mixture.

**Product AT USE DILUTION**

Not a hazardous substance or mixture.

**2.2 Label elements**

**Wash´n Walk****Labelling (REGULATION (EC) No 1272/2008)****Product AS SOLD**

Not a hazardous substance or mixture.

**Product AT USE DILUTION**

Not a hazardous substance or mixture.

**Additional Labelling:****Product AS SOLD**

Special labelling of certain mixtures : Safety data sheet available on request.

Contains: 1,2-benzisothiazol-3(2H)-one, May produce an allergic reaction.

**2.3 Other hazards****Product AS SOLD**

None known.

**Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Product AS SOLD****Hazardous components**

Chemical Name	CAS-No. EC-No. REACH No.	Classification REGULATION (EC) No 1272/2008	Concentration: [%]
alcohols, c13-15-branched and linear, butoxylated ethoxylated	111905-53-4 POLYMER	Skin irritation Category 2; H315 Eye irritation Category 2; H319	>= 5 - < 10
Substances with a workplace exposure limit :			
Dipropylene glycol methyl ether	34590-94-8 252-104-2 01-2119450011-60	Not Classified;	>= 5 - < 10
Propylene glycol	57-55-6 200-338-0 01-2119456809-23	Not Classified;	>= 1 - < 2.5

**Product AT USE DILUTION****Hazardous components**

Chemical Name	CAS-No. EC-No. REACH No.	Classification REGULATION (EC) No 1272/2008	Concentration: [%]
Substances with a workplace exposure limit :			
Dipropylene glycol methyl ether	34590-94-8 252-104-2 01-2119450011-60	Not Classified;	>= 0.25 - < 0.5

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Section: 4. FIRST AID MEASURES****4.1 Description of first aid measures****Product AS SOLD**

In case of eye contact : Rinse with plenty of water.

**Wash ´n Walk**

In case of skin contact : Rinse with plenty of water.  
If swallowed : Rinse mouth. Get medical attention if symptoms occur.  
If inhaled : Get medical attention if symptoms occur.

**Product AT USE DILUTION**

In case of eye contact : Rinse with plenty of water.  
In case of skin contact : Rinse with plenty of water.  
If swallowed : Rinse mouth. Get medical attention if symptoms occur.  
If inhaled : Get medical attention if symptoms occur.

**4.2 Most important symptoms and effects, both acute and delayed**

See Section 11 for more detailed information on health effects and symptoms.

**4.3 Indication of immediate medical attention and special treatment needed**

Treatment : No specific measures identified.

**Section: 5. FIREFIGHTING MEASURES**

**Product AS SOLD**

**5.1 Extinguishing media**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

**5.2 Special hazards arising from the substance or mixture**

Specific hazards during firefighting : Not flammable or combustible.

Hazardous combustion products : Depending on combustion properties, decomposition products may include following materials:  
Carbon oxides

**5.3 Advice for firefighters**

Special protective equipment for firefighters : Use personal protective equipment.

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

**Section: 6. ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures**

**Product AS SOLD**

## Wash ´n Walk

Advice for non-emergency personnel : Refer to protective measures listed in sections 7 and 8.

Advice for emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

### **Product AT USE DILUTION**

Advice for non-emergency personnel : Refer to protective measures listed in sections 7 and 8.

Advice for emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

## 6.2 Environmental precautions

### **Product AS SOLD**

Environmental precautions : No special environmental precautions required.

### **Product AT USE DILUTION**

Environmental precautions : No special environmental precautions required.

## 6.3 Methods and materials for containment and cleaning up

### **Product AS SOLD**

Methods for cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

### **Product AT USE DILUTION**

Methods for cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

## 6.4 Reference to other sections

See Section 1 for emergency contact information.  
For personal protection see section 8.  
See Section 13 for additional waste treatment information.

## Section: 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

#### **Product AS SOLD**

Advice on safe handling : Wash hands after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE). For personal protection see section 8.

Hygiene measures : Wash hands before breaks and immediately after handling the

**Wash´n Walk**

product.

**Product AT USE DILUTION**

Advice on safe handling : Wash hands after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE). For personal protection see section 8.

Hygiene measures : Wash hands before breaks and immediately after handling the product.

**7.2 Conditions for safe storage, including any incompatibilities**

**Product AS SOLD**

Requirements for storage areas and containers : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : 0 °C to 40 °C

**Product AT USE DILUTION**

Requirements for storage areas and containers : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

**7.3 Specific end uses**

**Product AS SOLD**

Specific use(s) : Floor cleaner. Manual process

**Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters**

**Product AS SOLD**

**Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Dipropylene glycol methyl ether	34590-94-8	TWA	50 ppm 308 mg/m3	UKCOSSTD
Further information	Sk	Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.		
	2	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used		
Propylene glycol	57-55-6	TWA (particles)	10 mg/m3	UKCOSSTD
Further information	2	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used		
		TWA (Total vapour and particles)	150 ppm 474 mg/m3	UKCOSSTD
Further information	2	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used		

**DNEL**

Propylene glycol	:	End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 168 mg/m3
		End Use: Workers Exposure routes: Inhalation

**Wash ´n Walk**

	<p>Potential health effects: Long-term local effects Value: 10 mg/m3</p> <p>End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 50 mg/m3</p> <p>End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 10 mg/m3</p> <p>End Use: Consumers Exposure routes: Dermal Potential health effects: Long-term systemic effects Value: 213 mg/cm2</p> <p>End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: 85 ppm</p>
--	--

**PNEC**

<p>Propylene glycol</p>	<p>: Fresh water Value: 260 mg/l</p> <p>Marine water Value: 26 mg/l</p> <p>Intermittent use/release Value: 183 mg/l</p> <p>Fresh water sediment Value: 572 mg/kg</p> <p>Marine sediment Value: 57.2 mg/kg</p> <p>Sewage treatment plant Value: 20000 mg/l</p> <p>Soil Value: 50 mg/kg</p>
-------------------------	---

**8.2 Exposure controls**

**Product AS SOLD**

**Appropriate engineering controls**

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Individual protection measures**

**Wash ´n Walk**

- Hygiene measures : Wash hands before breaks and immediately after handling the product.
- Eye/face protection (EN 166) : No special protective equipment required.
- Hand protection (EN 374) : No special protective equipment required.
- Skin and body protection (EN 14605) : No special protective equipment required.
- Respiratory protection (EN 143, 14387) : None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

**Product AT USE DILUTION**  
**Appropriate engineering controls**

- Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Individual protection measures**

- Hygiene measures : Wash hands before breaks and immediately after handling the product.
- Eye/face protection (EN 166) : No special protective equipment required.
- Hand protection (EN 374) : No special protective equipment required.
- Skin and body protection (EN 14605) : No special protective equipment required.
- Respiratory protection (EN 143, 14387) : None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

**Environmental exposure controls**

- General advice : Consider the provision of containment around storage vessels.

**Section: 9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

	<b>Product AS SOLD</b>	<b>Product AT USE DILUTION</b>
Appearance	: liquid	liquid
Colour	: dark green	light green

**Wash ´n Walk**

Odour	: citrus	citrus
pH	: 7.0 - 8.5, 100 %	7.3 - 7.4
Flash point	: closed cup	Not applicable.
Odour Threshold	: Not applicable and/or not determined for the mixture	
Melting point/freezing point	: Not applicable and/or not determined for the mixture	
Initial boiling point and boiling range	: Not applicable and/or not determined for the mixture	
Evaporation rate	: Not applicable and/or not determined for the mixture	
Flammability (solid, gas)	: Not applicable and/or not determined for the mixture	
Upper explosion limit	: Not applicable and/or not determined for the mixture	
Lower explosion limit	: Not applicable and/or not determined for the mixture	
Vapour pressure	: Not applicable and/or not determined for the mixture	
Relative vapour density	: Not applicable and/or not determined for the mixture	
Relative density	: 1.004 - 1.014	
Water solubility	: soluble	
Solubility in other solvents	: Not applicable and/or not determined for the mixture	
Partition coefficient: n-octanol/water	: Not applicable and/or not determined for the mixture	
Auto-ignition temperature	: Not applicable and/or not determined for the mixture	
Thermal decomposition	: Not applicable and/or not determined for the mixture	
Viscosity, kinematic	: Not applicable and/or not determined for the mixture	
Explosive properties	: Not applicable and/or not determined for the mixture	
Oxidizing properties	: The substance or mixture is not classified as oxidizing.	

**9.2 Other information**

Not applicable and/or not determined for the mixture

**Section: 10. STABILITY AND REACTIVITY**

**Product AS SOLD**

**10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

**10.2 Chemical stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

No dangerous reaction known under conditions of normal use.

**10.4 Conditions to avoid**

None known.

**10.5 Incompatible materials**



**Wash ´n Walk**

None known.

**10.6 Hazardous decomposition products**

Depending on combustion properties, decomposition products may include following materials:  
Carbon oxides

**Section: 11. TOXICOLOGICAL INFORMATION**

**11.1 Information on toxicological effects**

**Product AS SOLD**

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

**Product**

- Acute oral toxicity : There is no data available for this product.
- Acute inhalation toxicity : There is no data available for this product.
- Acute dermal toxicity : There is no data available for this product.
- Skin corrosion/irritation : There is no data available for this product.
- Serious eye damage/eye irritation : There is no data available for this product.
- Respiratory or skin sensitization : There is no data available for this product.
- Carcinogenicity : There is no data available for this product.
- Reproductive effects : There is no data available for this product.
- Germ cell mutagenicity : There is no data available for this product.
- Teratogenicity : There is no data available for this product.
- STOT - single exposure : There is no data available for this product.
- STOT - repeated exposure : There is no data available for this product.
- Aspiration toxicity : There is no data available for this product.

**Components**

- Acute oral toxicity : alcohols, c13-15-branched and linear, butoxylated ethoxylated  
LD50 rat: > 2,000 mg/kg  
  
Dipropylene glycol methyl ether  
LD50 rat: 5,135 mg/kg  
  
Propylene glycol  
LD50 rat: 22,000 mg/kg

**Components**

**Wash´n Walk**

Acute inhalation toxicity : Propylene glycol  
4 h LC50 rat: > 158.5 mg/l  
Test atmosphere: dust/mist

**Components**

Acute dermal toxicity : alcohols, c13-15-branched and linear, butoxylated ethoxylated  
LD50 rat: > 2,000 mg/kg  
  
Dipropylene glycol methyl ether  
LD50 rabbit: 9,510 mg/kg

**Potential Health Effects**

**Product AS SOLD**

Eyes : Health injuries are not known or expected under normal use.  
Skin : Health injuries are not known or expected under normal use.  
Ingestion : Health injuries are not known or expected under normal use.  
Inhalation : Health injuries are not known or expected under normal use.  
Chronic Exposure : Health injuries are not known or expected under normal use.

**Product AT USE DILUTION**

Eyes : Health injuries are not known or expected under normal use.  
Skin : Health injuries are not known or expected under normal use.  
Ingestion : Health injuries are not known or expected under normal use.  
Inhalation : Health injuries are not known or expected under normal use.  
Chronic Exposure : Health injuries are not known or expected under normal use.

**Experience with human exposure**

**Product AS SOLD**

Eye contact : No symptoms known or expected.  
Skin contact : No symptoms known or expected.  
Ingestion : No symptoms known or expected.  
Inhalation : No symptoms known or expected.

**Product AT USE DILUTION**

Eye contact : No symptoms known or expected.  
Skin contact : No symptoms known or expected.  
Ingestion : No symptoms known or expected.  
Inhalation : No symptoms known or expected.

**Section: 12. ECOLOGICAL INFORMATION**

**Wash´n Walk**

**Product AS SOLD**

**12.1 Ecotoxicity**

Environmental Effects : This product has no known ecotoxicological effects.

**Product**

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

**Components**

Toxicity to fish : alcohols, c13-15-branched and linear, butoxylated ethoxylated  
96 h LC50 Fish: 5 mg/l

Dipropylene glycol methyl ether  
96 h LC50 Fish: > 1,000 mg/l

Propylene glycol  
96 h LC50: > 10,000 mg/l

**Components**

Toxicity to daphnia and other aquatic invertebrates : Propylene glycol  
48 h EC50: 18,340 mg/l

**Components**

Toxicity to algae : Propylene glycol  
96 h EC50: 19,000 mg/l

**12.2 Persistence and degradability**

**Product**

Biodegradability : The surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC

**Components**

Biodegradability : alcohols, c13-15-branched and linear, butoxylated ethoxylated  
Result: Readily biodegradable.Result: Readily biodegradable.

Dipropylene glycol methyl ether  
Result: Readily biodegradable.

Propylene glycol  
Result: Readily biodegradable.

**12.3 Bioaccumulative potential**

no data available

**12.4 Mobility in soil**

no data available

**Wash´n Walk**

**12.5 Results of PBT and vPvB assessment**

**Product**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Other adverse effects**

no data available

**Section: 13. DISPOSAL CONSIDERATIONS**

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

**13.1 Waste treatment methods**

**Product AS SOLD**

Product : Diluted product can be flushed to sanitary sewer if regulations permit.

Contaminated packaging : Dispose of in accordance with local, state, and federal regulations.

Guidance for Waste Code selection : Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

**Product AT USE DILUTION**

Product : Diluted product can be flushed to sanitary sewer if regulations permit.

Contaminated packaging : Dispose of in accordance with local, state, and federal regulations.

**Section: 14. TRANSPORT INFORMATION**

**Product AS SOLD**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

**Land transport (ADR/ADN/RID)**

14.1 UN number : Not dangerous goods  
14.2 UN proper shipping name : Not dangerous goods  
14.3 Transport hazard class(es) : Not dangerous goods  
14.4 Packing group : Not dangerous goods

**Wash ´n Walk**

- 14.5 Environmental hazards : Not dangerous goods  
14.6 Special precautions for user : Not dangerous goods

**Air transport (IATA)**

- 14.1 UN number : Not dangerous goods  
14.2 UN proper shipping name : Not dangerous goods  
14.3 Transport hazard class(es) : Not dangerous goods  
14.4 Packing group : Not dangerous goods  
14.5 Environmental hazards : Not dangerous goods  
14.6 Special precautions for user : Not dangerous goods

**Sea transport (IMDG/IMO)**

- 14.1 UN number : Not dangerous goods  
14.2 UN proper shipping name : Not dangerous goods  
14.3 Transport hazard class(es) : Not dangerous goods  
14.4 Packing group : Not dangerous goods  
14.5 Environmental hazards : Not dangerous goods  
14.6 Special precautions for user : Not dangerous goods  
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not dangerous goods

**Section: 15. REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- according to Detergents Regulation EC 648/2004 : 5 % or over but less than 15 %: Non-ionic surfactants  
Other constituents: Enzymes  
Preservation agents:  
1,2-benzisothiazol-3(2H)-one  
2-phenoxyethanol

**National Regulations**

**Take note of Dir 94/33/EC on the protection of young people at work.**

- Other regulations : The Chemicals (Hazard Information and Packaging for Supply) Regulations.  
The Control of Substances Hazardous to Health Regulations.  
Health and Safety at Work Act.

**15.2 Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out on the product.

**Section: 16. OTHER INFORMATION**

**Wash´n Walk****Procedure used to derive the classification according to REGULATION (EC) No 1272/2008**

Classification	Justification
Not a hazardous substance or mixture.	Calculation method

**Full text of H-Statements**

H315 Causes skin irritation.  
H319 Causes serious eye irritation.

**Full text of other abbreviations**

ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR – European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS – Australian Inventory of Chemical Substances; ASTM – American Society for the Testing of Materials; bw – Body weight; CLP – Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR – Carcinogen, Mutagen or Reproductive Toxicant; DIN – Standard of the German Institute for Standardisation; DSL – Domestic Substances List (Canada); ECHA – European Chemicals Agency; EC-Number – European Community number; ECx – Concentration associated with x% response; ELx – Loading rate associated with x% response; EmS – Emergency Schedule; ENCS – Existing and New Chemical Substances (Japan); ErCx – Concentration associated with x% growth rate response; GHS – Globally Harmonized System; GLP – Good Laboratory Practice; IARC – International Agency for Research on Cancer; IATA – International Air Transport Association; IBC – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 – Half maximal inhibitory concentration; ICAO – International Civil Aviation Organization; IECSC – Inventory of Existing Chemical Substances in China; IMDG – International Maritime Dangerous Goods; IMO – International Maritime Organization; ISHL – Industrial Safety and Health Law (Japan); ISO – International Organisation for Standardization; KECI – Korea Existing Chemicals Inventory; LC50 – Lethal Concentration to 50 % of a test population; LD50 – Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL – International Convention for the Prevention of Pollution from Ships; n.o.s. – Not Otherwise Specified; NO(A)EC – No Observed (Adverse) Effect Concentration; NO(A)EL – No Observed (Adverse) Effect Level; NOELR – No Observable Effect Loading Rate; NZIoC – New Zealand Inventory of Chemicals; OECD – Organization for Economic Co-operation and Development; OPPTS – Office of Chemical Safety and Pollution Prevention; PBT – Persistent, Bioaccumulative and Toxic substance; PICCS – Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR – (Quantitative) Structure Activity Relationship; REACH – Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID – Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT – Self-Accelerating Decomposition Temperature; SDS – Safety Data Sheet; TCSI – Taiwan Chemical Substance Inventory; TRGS – Technical Rule for Hazardous Substances; TSCA – Toxic Substances Control Act (United States); UN – United Nations; vPvB – Very Persistent and Very Bioaccumulative

**Further information**

Prepared by : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is

**Wash´n Walk**

not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Annex: Exposure Scenarios**

**Exposure Scenario: Floor cleaner. Manual process**

Life Cycle Stage : Widespread use by professional workers  
Product category : **PC35** Washing and cleaning products (including solvent based products)

**Contributing scenario controlling environmental exposure for:**

Environmental release category : **ERC8a** Wide dispersive indoor use of processing aids in open systems  
Daily amount per site : 7.5 kg  
Type of Sewage Treatment Plant : Municipal sewage treatment plant

**Contributing scenario controlling worker exposure for:**

Process category : **PROC10** Roller application or brushing  
Exposure duration : 480 min  
Operational conditions and risk management measures : Indoor  
Local Exhaust Ventilation is not required  
General ventilation Ventilation rate per hour 1  
Skin Protection : No  
Respiratory Protection : No

**Contributing scenario controlling worker exposure for:**

Process category : **PROC8a** Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities  
Exposure duration : 60 min  
Operational conditions and risk management measures : Indoor  
Local Exhaust Ventilation is not required  
General ventilation Ventilation rate per hour 1  
Skin Protection : Yes: See Section 8

**Wash´n Walk**

Respiratory Protection : No

**Exposure Scenario: Floor cleaner. Manual process**

Life Cycle Stage : Widespread use by professional workers

Product category : **PC35** Washing and cleaning products (including solvent based products)

**Contributing scenario controlling environmental exposure for:**

Environmental release category : **ERC8a** Wide dispersive indoor use of processing aids in open systems

Daily amount per site : 7.5 kg

Type of Sewage Treatment Plant : Municipal sewage treatment plant

**Contributing scenario controlling worker exposure for:**

Process category : **PROC10** Roller application or brushing

Exposure duration : 480 min

Operational conditions and risk management measures : Indoor

Local Exhaust Ventilation is not required

General ventilation Ventilation rate per hour 1

Skin Protection : No

Respiratory Protection : No

**Contributing scenario controlling worker exposure for:**

Process category : **PROC8a** Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities

Exposure duration : 60 min

Operational conditions and risk management measures : Indoor

Local Exhaust Ventilation is not required

General ventilation Ventilation rate per hour 1

Skin Protection : Yes: See Section 8

Respiratory Protection : No